RAMCO AVIATION SOLUTION ENHANCEMENT NOTIFICATION Version 5.8.1

Maintenance

©2016 Ramco Systems Ltd. All rights reserved. All trademarks acknowledged

ramco

©2016 Ramco Systems Ltd. All rights reserved. All trademarks acknowledged.

This document is published by **Ramco Systems Ltd.** without any warranty. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose without the written permission of **Ramco Systems Limited**.

Improvements and changes to this text necessitated by typographical errors, inaccuracies of current information or improvements to software programs and/or equipment, may be made by Ramco Systems Limited, at any time and without notice. Such changes will, however, be incorporated into new editions of this document. Any hard copies of this document are to be regarded as temporary reference copies only.

The documentation has been provided for the entire Aviation solution, although only a part of the entire solution may be deployed at the customer site, in accordance with the license agreement between the customer and Ramco Systems Limited. Therefore, the documentation made available to the customer may refer to features that are not present in the solution purchased / deployed at the customer site.

contents

WHAT'S NEW IN SHOP WORK ORDER?
Ability to set up part manufacturing information and facilitate parts
Ability to set up part manufacturing information and identitate parts
manufacture through Make Work Order5
Background5
Change Details
Ability to provide need date for Material Requests in RSED25
Background
Change Details
WHAT'S NEW IN ENG. CHANGE ORDER?
Ability to manage BoM, Process Plan and Mfr. Drawings through Eng. Doc27
Background
Change Details
WHAT'S NEW IN TECHNICAL RECORDS?
Ability to view technical records of entire fleet and direct access to Tech Records
hub35
Background
Change Details
Ability to view Deremotor Values in Tech Decords Llub
Ability to view Parameter values in Tech Records Hub
Background
Change Details

WHAT'S NEW IN CONFIGURATION MANAGEMENT? 49

Increase in the number of inheritable parameters to 50	. 49
Background	49
Change Details	49

WHAT'S NEW IN ENGG CHANGE MANAGEMENT?......51

WHAT'S NEW IN AIRCRAFT MAINTENANCE EXECUTION?59

Dual Authentication during Modification of Exe. Comments	59
Background	
Change Details	

WHAT'S NEW IN IN AIRCRAFT / SHOP WORK

MANAGEMENT?		

Ability to Display Customer Name in Work Monitoring and Control screen	61
Background	61
Change Details	61

What's new in Work Reporting Hub?64

Work Reporting Hub for Aircraft Maintenance Execution	64
Background	64
Change Details	64

61

WHAT'S NEW IN SHOP WORK ORDER?

Ability to set up part manufacturing information and facilitate parts manufacture through Make Work Order

Reference: AHBG-3017

Background

Part manufacturing module is built to address the needs of Manufacturing Planning and Control in aviation manufacturing facilities. The product offers an array of features for estimating, execution of tasks, costing, lot and serial tracking, purchasing/receiving, back flushing, material verification and material requirements planning. Part manufacturing addresses many aspects of the manufacturing process. The part could be manufactured from different sources like manufacturing in-house, sub contract or purchase and stocked in multiple stocking points and warehouses. Part manufacturing helps in efficient planning considering the capacities and stock availability across locations and warehouses. Part manufacturing covers the Make-to-order environments including products, which are finished after receipt of a customer or internal demands. The final product is usually a combination of standard parts and parts custom designed to meet the special needs of the customer.

Change Details

Two new components **Product Structure** and **Process Plan** are added under new BPC **Manufacturing Setup**.

		E # C	T Wizard	Themes 🗸	Earch Search	Quick Code 🔶	Data Migration User Ramco Role - RAMCO OU
-	viation Solutions Release 5.7						
Manufacturing Setup	Process Plan	Manage Process Plan		V			
Part Sale Management (Product Structure						
Maintenance Setup)							
Configuration Management							
Maintenance Programs							
Maintenance Planning 💦 🔅							
Engineering Change Management 💚							
Discrepancy Management							
Aircraft Maintenance							
Aircraft/Shop Work Management							
Flight Operations >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>							
Component Maintenance >							

Exhibit 1: Illustrates the New Component and BPC details

Part Manufacturing Information

Pre-requisite for manufacturing a part is to define the source as 'Make' in **Maintain Planning Information** screen. Along with defining the source as 'Make', Manufacturing Information i.e. Lead Time, UoM, Work Center Information, Certificate Information etc. need to be provided prior to creating Make Work Order. A new screen **Maintain Manufacturing Information** has been provided in the **Maintain Planning Information** page. This new screen has been developed to provide basic manufacturing information regarding a part with source 'Make'.

Exhibit 2: Illustrates the Maintain Manufacturing Information screen



Bill of Material

The entire manufacturing setup in an organization depends on manufacturing of parts. Different raw materials are used to produce sub-assemblies, which are again used in building final products that are saleable. It is also likely that the same part may be produced and stocked in more than one location from different sources. In order to meet the requirements and commitments of customers, planning of raw materials and sub-assemblies that are required in manufacturing is important. For planning to be effective, requisite information about parts such as bill of materials, process plans etc. are required. The Bill Of material (BOM) provides a hierarchical classification of the constituent parts, which form a product. The BOM shows the material, component parts subassemblies and other parts in a hierarchical structure that represents the grouping of parts on an assembly drawing or the grouping of parts that come together at a stage in the manufacturing process. The quantity requirements of each of the constituent part against the Product Structure (PS) Part are also mentioned along with.

Product Structures

Product structures are used for the purpose of defining bills of materials of parts. The product structure is a single level of Bill of material, containing a parent and its immediate child. With the product structure,

the understanding of the components, which compose a product as well as their attributes, can be represented. User can define Product Structures for parts at each level and integrate these to get the complete bill of materials.

The bill of material shows the level-by-level information of all constituent parts required to produce an end product. It is convenient to define one level of information for each part of bill of material as a product structure, i.e. constituent parts and its immediate level constituent parts. Whenever required, the bill of material information for a part can be obtained using the product structures.

Create Product Structure:

This screen has been provided to create a product structure for a part that is planned to manufacture. Pre-requisite for defining the product structure is to select source as "Make" for that part in **Maintain Planning Information** screen under **Part Administration** business component.

"PS Part", "PS class" and "Effective from" are mandatory controls to define against product structure. Multiple product structures can be defined for a part. All the constituent parts should be added against product structure multiline.

In product structure multiline, user can add any constituent part which is mapped to one or all Part sources. The quantity requirements of each of the constituent part against the "PS Part" are also mentioned in the Total quantity column. If any drawings that are exists for the constituent part, then system will display the value as 'Yes' in the 'Drawing exists?'.

Manage Product Structure									24 相		. ?
duct Structure List	Manage Product Structure								0	eate	
Part # D #20-9505-20563	this thank of	F20-1605-201	C43	PS ch	Production 1	-		PS Category	PSCat-1		*
PS Class	Part Quantity	1	.00 EA +	Fart Ty	Expendable			Part Description	ETD Bra	cket Assembly	
Haf, Date III Get	PS Revision #		0 🖛	Effective From/		PS Status Fresh					
[77] Show Inactive Revisions	Current Rev. Source	Current Rev. Seurce Current Rev. Remarks									
			[2] Default Product Structure								
	Process Plan & Drawing Informa	tion									
F20-9605-20563	Discussi Dan #	BrackAm-01		DP Dee	ministring Manufacturing of Bro		Ae				
C1 520,9505,20552, Charle 2, 5	Drawing Defined?	No	+ Manage Drawing	Drawing Changes	In WD? Allowed	114	-				
(a) + 20 300 2000, Productor 0	Product Structure Map Pa	rts to Proce	55								
	++ + 1 -3/3 + ++	+ = 0	i⊈ π. π.	J. 1	n W X E S > e	1 4	A III AB				
	# 🗇 Part#		Part Description	BON QU	Task #		Task Description		564	LAUNT	
	1 0-0050045-2/T0000	~	SLEEVED TERMINAL	5.00	Dvill-01	*	Drilling		5.00	EA	
	2 0-000463(35104	*	LEAD	6.00	INSPECT-01	*	enspection		6.00	EA	
	3 0-0101-3-0044-36361	~	WASHER	4.00	Prot-01	~	Protective treatment		4.00	EA	
	4 0	~				~					
	Reference Detail										

Exhibit 3: illustrates Manage Product Structure screen

Each constituent part can have different "Sourcing strategy", which can be either 'Inventory', 'Procurement' or 'Make'. This source strategy information will be helpful for while planning of Task – Part requirements. Activate and Inactivate button will get launched once newly created product structure

details are saved.

User can revise the product structure by modifying the constituent part information in the product structure and also needs to provide the effectivity details of the product structure. Once the product structure is revised then the old revision# of the product structure will be updated with the effective to details. Each revision of the product structure can have a unique effective detail and does not overlap with each other.

Multiple Product Structures for a part

A Part may have more than one product structure of Product Structure Class due to various purposes. A company may have multiple work center facilities at different locations. The manufacturing capacities differ from location to location. For example, a location may have access to more resources and materials easily than another location. Hence it is capable of producing a part in higher lot sizes at one stretch. Also, depending on the availability of materials, each location may use different parts to manufacture a particular part. The correct product structure is selected based on the validity of the product structure. Currently multiple product structures can be handled by using the concept of PS Class. A Part can have only one default product structure and multiple alternate product structures. Since a part can have multiple product structures, always the default product structure is to be picked up for manufacturing a Part or Work Order execution.

Product Structure and Process Plan mapping

Manufacturing of Parts requires various constituent parts along with the necessary tasks to be performed to produce the finished product. These input parts are transformed into the finished product using specified process instructions. For this, the sequence in which the materials are routed through different tasks to be performed at each resource are identified. This routing information is captured in a process plan against each Task. The process plans may be part specific or generic.

Each constituent part of the product structure will be mapped with the individual task of the process plan. User can map one constituent part to many tasks in the Process plan and also multiple constituent parts can be mapped to one task. Whenever user tries to map the Constituent part with task, then he has to provide the task qty. However the mapping of parts to process plan is optional. Exhibit 4: Illustrates the mapping of constituent parts to process plan

		Process Plan #	BrackAss-01		PP De	scription Manufacturing of Brac	:ket A	As		
		Drawing Defined?	No	 Manage Drawing 	Drawing Changes	In WO? Allowed		7		
										Copy Part
Pro	duct S	tructure Man Pa	rts to Proce	***						
FIU	uuce a	tracture map re		-33						
11	4	1 - 3 / 3 🕨 🗰	+ - 0	* T T.			4	L 🖮 💷 🛛 🖬	•	Q
ŧ		Part #		Part Descripition	BOM Qty	Task #		Task Descripition	Qty	UoM
		0-0050845-2:T0000	*	SLEEVED TERMINAL	5.00	Drill-01	~	Drilling	5.00	EA
		0-008463:35104	*	LEAD	6.00	INSPECT-01	~	inspection	6.00	EA
		0-0101-3-0044:36361	*	WASHER	4.00	Prot-01	~	Protective treatment	4.00	EA
			*				~			

Copy part

A new screen **Copy Part** has been added to copy the existing product structure constituent details into new product structure. User can search the existing product structure details along with the PS Class and Revision # details. On using "Copy" button, constituents of selected revision will get copied into the new Product Structure tab.

Exhibit 5: Illustrates the copy part screen under Product Structure business component

cop	 ounce sourceme							. Pre	E. 199 114
	Part	# P20-9505-20563 G	2 t						
**	1 -7/7	(= 11) (K)		A 10		A IN AL		-	P
	Part #	Part Description	Part Tisse	Part Source	PS Class	IS Category	PS Revision #		Lower Level Ex
2	1 F20-9505-20563	ETD Bracket Assembly	Expendable	\$4.ah.m	Class-3	PSCM-2		0	Yes
2	F20-9505-20563	ETD Bracket Assembly	Expendable	Make	Class-3	PSCat-2		1	Yes
3	1 #20-9505-20563	ETD Bracket Assembly	Expendable	Maker	Clause 3	PSCat-2		2	Yes
.4	F20-9505-20563	ETD Bracket Assembly	Expendable	Make	Class-3	PSCat-2		3	Yes
5	T F20-9505-20563	ETD Bracket Assembly	Esperadable	Fishe	Ciase-3	PSCot-2		4	Ves
6	F20-9505-20563	ETD Bracket Assembly	Expendable	Make	Class-3	PSCat-2		5	Yes
.2	1 F20-9506-20563	ETD Bracket Assembly	Expandable	** all as	fraduction	PS-Cut-1		0	Yes
				Сору					

New Revision

Whenever user modifies the constituent and part and process plan linkage, then system will display the 'New Revision' popup and mandates the user to provide details like 'Effective From', 'Source type', 'Remarks'. Once user enters all these details, the system will save the new revision details and creates a new revision for the product structure automatically.

Drawing Dr	1													
	New Revisi	ion			4	? 🗔	x						Co	py Part
roduct Structure	Effective Form	21-10-2016 17:52:57	Source	Manual	¥									
[No records to	Remarks							e	91.111	All		y.		Q
Error S									UoM	Issue	Method		Part Source	
			Update						12	e Man	al	~		
	4						•							•
e-Number	4				_	_	•							Þ
e-Number	4				_	_	•							Þ
e-Number Reference Detail Approval Ref	4 erence with			Processing R	Remarks	NBN	•				Additional Ret	marks vativ		•
e-Number Reference Detail Approval Ref	4 erence w#v		Save	Processing P	Remarks	ner It	•)				Addtional Rer	marks væv Quick Links		Þ
Re-Number Reference Detail Approval Ref Record Statistics	erence with		Save	Processing F	Remarks	~#~ It	activate				Additional Ree	marks with w Quick Links		•

Exhibit 6: Illustrates the new revision screen under Product Structure business component

Product structure for Phantom parts

Phantom parts are a logical grouping of constituent parts that represents a transient assembly. No work orders are generated for them. These are normally consumed as soon as they are produced. However the user may configure them in the bill of material for ease of definition and view. Phantom parts may have one or more product structures. Process plans are however not linked to such product structures, as the process for these phantoms are expected to be defined as part of the process of manufacturing the parent of the phantom part.

During planning, if stock of the phantom were available then the system would explode immediately to the constituent parts of the phantom. Work order or Purchase Order for a phantom part is never raised in the system.

Viewing the Bill of Material of an part

Based on the single level product structure defined by the user, and the parent and child relationship, the system automatically builds up the multi-level bill of material. The user may view or print the multi-level bill of material along with the usage quantities of each of the constituent parts at any level. The Bill of material displays the complete details of all the constituent parts, assemblies, sub-assemblies and raw materials that go into manufacture of the finished product along with the details of the quantities of each constituent part. If multiple product structure exists for that part, the system selects the valid product structure based on the selection of PS.

View Bill of	Materials									자 중 (2 4 3	1.0
	PS	Part # F29-9505-205	63		PS Cla	E Production			PS Revision # .g			
	Par	rt Type Expendable		Effect	ve From/	To 20-10-2016 12:10:44			PS Category PSI	Dat-1		
	Part Des	cription ETD Bracket	Assembly									
					Normal V	Awn 🔘 Flatted V	igni					
BOH Details												
1 -4/4									a Al	· •	_	
Level Code	Seq.#	PS Part #	Part Description	Total Quantity	UoM	Part Source	Source Strategy	PwtType	PS Exists	PS Revision	Effective Fr	m
91	1	F20-9505-20563	ETD Bracket Assembly		5 12	Hake	Yes	Expendable	Yes		0 20-10-2016	
11	1	0-0101-3- 0044(36361	WASHER		4 12	On Loan From Pool Exchanges Subcontracting Procurement	No	Consumable	No			
ш	2	0-008463(35104	LEAD		6 12	On Loan From Pool Exchanges Subcontracting Procurement	No	Consumable	No			
11	2	0-0050845-2:T0000	SLEEVED TERMINAL		5 12	On Loan From Pool Exchanges Subcontracting Discussment	No	Consumable	No			

Exhibit 7: Illustrates view Bill of Materials screen under Product Structure business component

The link "View BOM" in Quick Links has been provided to view complete bills of material of PS Part. A BOM is unique for PS Part #- PS Class- Revision # combination, so on clicking of "View BOM" current revision of product structure will be displayed.

The BOM information can be shown in two views: one is 'Normal View', which will display all the constituent parts and subassemblies in the hierarchical manner including phantom parts. Another view is 'Flattened View', in which phantom parts will not be displayed; instead all the constituent parts available inside the phantom part will be rolled up to one level higher.

Process Plans

For manufacturing a part, it is necessary to process the required raw materials on different resources. The constituent materials routed through these tasks are performed to transform these into the desired output. The manufactured part will be obtained after all the required tasks have been performed. A process plan is used to identify the tasks and the sequence in which they are performed to manufacture the part. It is also referred to as routing information. Two types of Process plans can be defined: 'Standard' can be used against any part manufacturing. Another is specific, which will be defined for the specific Part #.

Exhibit 8: Illustrates the sequence of Tasks



In the above figure, Activities A1, A2 and A3 are required to execute a particular process in the shop floor. Out of these 3 tasks, planning of activity A3 is important because the resource used for it may be a bottleneck resource (A3 can be given a different color if possible). The other 2 tasks are not critical and hence detailed planning may not be necessary for them.

Process Plan Sequences

Different tasks need to be performed to manufacture a part. For example, to machine the outer race of a ball bearing, user needs to perform three activities namely turning, grinding and finish grinding. Since the flow of constituent parts from one task to the next task of the process plan is important, the sequence of tasks has to be defined properly. To achieve this, sequence numbers are used. A unique operation sequence number identifies each position. The Sequence numbers identifies the Operation sequences in a process plan (where the tasks are performed). Depending on the flow of materials, tasks are selected in appropriate positions. The bigger the sequence number, the later the task to be performed occurs in the sequence in the process plan. That is if two tasks are in sequence 10 and 20 respectively, then the task in sequence 20 is carried out after the task in sequence 10, 20 and 30.





Create Process Plan

This screen has been provided to create a process plan. Process plan # is a user defined field, where user has to provide the unique Process Plan #. Process Plan #, PP type Effective From and Operational details are the mandatory detailed to create Process Plan #. Process Plan type can be selected as 'Standard' or 'Specific'. If Process Plan type is set as specific, then part # must be selected.

Tasks that are already defined in task master should be entered in operational details multiline. If the Task that is not available in the **Maintenance Task** business component and New Task is selected as 'Yes', then a new Task # will be created in authorized status in the **Maintenance Task** business component

Exhibit 10: Illustrated Manage process Plan screen under Process Plan business component

ess Plan List										가 통	• ?
use Diago	M	anage	e Process Pla	n						Create	
rao man			P	rocess Plan #	BrackAss-01		Process Plan Description	Manufacturing of Bracket A	Process Pl	an Type Standard	•
ef. Date 🗰 Get				PP Category	PPCat-1	Ŧ	Long Description	Manufacturing of Bracket A			
Show Inactive Revisions				Revision #		0 🕶	Status Acti	ive	Effective From/To	20-10-2016	
cess Plan List			Rev	sion Remarks			Revision Source				
Found no rows to display!!!										Copy Process Plan	
		Opera	tion Details								
	44	4	1 - 4 / 4	> > +	- 0 4 1	T,	7		AL III 🖷 🗏	•	
	-		Error	Oper. Seq. #	New Task?	Task # 🔎	Task Description	Task Revision #	Task Status	Relationship Type	
	1			1	No	 INSPECT-01 	inspection		Active		
	2			2	No	V Drill-01	Drilling		Active		
	3			3	No	 Rivet-01 	Rivetting		Active		
	4	E		4	No	 Prot-01 	Protective treatment		Active		
	5				No	*					

Existing process plan can be listed automatically by enabling a smart search for the Process Plan # in the Process Plan list. User can also search for the existing process plans in the Process Plan list.

Get Related Tasks, will fetch all the Tasks having the relationship with the parent Task. All Task

relationships will be considered. Re-Numbering will help to introduce a new task inside the process plan.

Note:

- 1. All the Operational details can be saved against process plan by clicking on Save.
- 2. The Process Plan details need to be approved.
- *3.* Any modification in the approved process plan creates a new revision # with the new effectivity details.
- 4. Multiple Active revisions will be available for one process plan, but one process plan is effective for the given date.
- 5. The process plans need to be inactivated, if it is no more applicable.

Copy Operational Details

New screen 'Copy operational details' should be added under the **Process Plan** business component. This screen will help the user to copy the operational details of an existing Process plan to new process plan. Screen will list all the process plan details along with the revision details.

Exhibit 11: Illustrates Copy process Plan screen

	rocess Plan							a b i r	• •
P	rocess Plan # BrackAss-01	p	P Type Standard		▼ Search On	T	Ŧ		
				Get					
44 4	1 - 1/1 > >> -	T T.			L II X X A C	a a li Al		¥.	Q
•	Process Plan #	PP Description	Revision	PP Type	PP Category	Status	Effective From	Effective	То
1	BrackAss-01	Manufacturing of Bracket	0	Standard	PPCat-1	Active	20-10-2016 12:02:31		

New Revision

When the operations details of the process plan are modified, system displays the 'New Revision' popup and mandates the user to enter revision information like Effective from, Revision Source and Revision Remarks etc. The system saves the new revision details and generates a new revision for the process plan.

Exhibit 12: Illustrates New revision screen

Neviaion Nemarka	New Revis	ion		-	4	?	Co	X	
etails	Effective From	21-10-2016 15:58:54	Source	Manual					
cords to display]	Remarks								II All
r Oper, Seq. :									-
			Update						
	4							•	
									1

Manage Engineering Drawings:

Engineering drawings are a complete set of drawings that detail the manufacturing and assembly of products. It is an authorized document to produce the component in the shop floor. It furnishes all

dimensions, limits and special finishing processes. In addition to the materials used, it should also mention the number of parts that are required for making of the assembled unit. Engineering drawing of a component should also indicate the sub or main assembly where it will be assembled. Engineering drawings can be defined for the Product structure Part #, Constituent Parts defined under Product Structure and also Tasks available in the Process Plan #. These Engg. Drawings can be managed at 'Library' or 'Direct'. Library documents are controlled documents, which will be revision controlled managed through Library Management Business process. If the user does not have access to library management, then user can save the drawings directly.

A new screen Manage Engineering Drawings is added under Product Structure component. This screen will be placed as a link in the Manage Product Structure and Manage Process Plan screens.

	Mai	hage Engineering	Drawings								24	9 1	+ '	? []	1
		Ently	Product Structure	Part # F20-	9505-20563		PS Class Production			PS Rev	sion @				
**	•	1 -1/1 + ++	+ = 0 + T T				ABUXSENC		IA II			w.			1
	1	Hanaged at	Document # D	Document Title	PS Revision #	Document Subject	Document Type		Status		Document	Category			
1	0	Direct	v Draw-BracketAss	Bracket Assembly Image		1 Drawing	ĸ	*	Active	*	InfBull			,	,
2	D	Lbrary	¥				AC.	~	Active	×	Influi				è

Exhibit 13: Illustrates the Manage Engg. Drawings for the PS Part #

Note: Important aspects of Engg. Drawings #:

- 1. Engg. Drawings can be saved against each revision of the Product Structure Part #.
- 2. Simultaneously drawings can be saved against Task # in the Process Plan and also the Constituent Part in the Manage Product Structure.
- 3. New set of drawings can be added by new revision # in the Engg. Drawing.
- 4. Engg. Drawings copied from the library management will not be allowed to be modified in the Manage Engg. Drawings.
- 5. Any changes with respect to the documents added directly will be allowed to be modified.

Plan Materials

A new button 'Create Make Order' is added in the **Plan Materials** screen under **Stock Demand Management** business component. On click this button, the system will create Shop Work Order having the Job Type 'Make'. Upon creation of Shop Work order, the system will copy the following information to create Make Work Order:

- 1. MR coverage Information in the Update / split coverage information. (i.e. Work Order that is created against Material Request will be copied as a MR coverage Information.)
- 2. Default Product structure effective for the Manufacturing Part will be copied in the **Manufacturing Data** screen under Make work order.
- 3. Process Plan details in the product structure will be copied in the **Manufacturing Data** screen under Make work order.
- 4. Manage Engg. Drawing details in the product structure effective for the Product Structure, Constituent Part drawings inside the Product Structure and also Tasks in the Process plan.
- 5. Default Work Center # & Default Exe. Doc Type from the part information.
- 6. Certificate Information from the part manufacturing information.
- 7. MR priority will be copied as Work Order priority.
- 8. MR stock status will be copied to Work order, if the Ownership of the stock status is Internal. If the MR stock status is other than Internal, then Work Order stock status will be updated with the default ownership internal stock status.

Work Order changes:

Make Work order can be created from the **Plan Material** screen or user can directly create the Work order from the **Plan Work Order** activity. As part of part manufacturing changes, two new screens **Manufacturing Data** and **Certificate Information** have been added as links in the **Plan Work Order** screen. Mfr. Serial/ Lot # will be generated automatically while releasing the Work order based on the numbering type selected for the Part # in the Part manufacturing information screen.

Manufacturing Data

A new screen Manufacturing Data has been added under Shop Work Order business component. Manufacturing Data screen captures the Product Structure details, Process Plan details and Engg. The Drawing information for the Manufacturing of part for the specific date, when a Work order is created from the Plan Material screens, then As on Date will be updated as Work order creation date. User can manually modify the As on date then new Product structure, Process plan details effective for the new date will be copied. Exhibit 14: Illustrates Manufacturing Data screen under Plan Work order

	minicularing boun									. → 더 솔 x) [ē
Wa	ark Order # 1200017023 nation Date 21-10-2016 09:39	156	Descr	ption Hanufacturing of F20-95052056	3	Primary	Work Center # yul-100-00		Statu	s In-Progress	
Produ	As on Date 21-10-20	16 09:39	94 🛅 Get Latest V	ersion			Certificate Type Multiple	0	etificate Information		
	Port # F20-95052056 P5 Class Class-3	8	1911	Part Description ETD Bracket Assemb Revision # 2	Y.		Process Plan # prpin-text-1	Get	PP Descriptio	n process plan for testing	
	Status Approve		1	Rect. From / To 20-10-2016 09:35:00			Status Active		Effect. From / T	 16-10-2016 10:24:36 More 	
Draws	ing Information										
4	1 -1/1 + ++ +	- 0	₩ T T				AND	XGMRC	A M B A	¥ .	¢.
21	Source Type		Source #	Managed at		Document #	Description	Document Type	Revision #	Effective From	
1	Product Structure	~	F20-950520563	Library	×	S-MCC Test	NCC Testing Procedurem	cs	*	1	
-	Product Structure	*		Library	Y			AC	*		

Manufacturing Data screen provides the necessary information that are required for manufacturing of Part like Product Structure, Process plan and Engg. Drawings, etc.

Product Structure Details section displays, default product structure defined in Manage Product Structure screen. Still user can change the PS Class from PS Class combo, if multiple product structures are available for the manufacturing part.

Process Plan Details section displays process plan # mapped to the default product structure. If user changes the product structure by modifying the PS class, then process plan mapped to the new product structure will be copied. Still user can use any active Process Plan # having the type Standard based on flag (i.e. Changes in Work order is allowed) set in **Part Manufacturing Information** screen under **Part Administration** business component. If process plan # is changed and on click of Save will cancel the existing tasks and lists the new tasks from the Process Plan # to the task Details multiline in Plan Work Order. If the Task Part requirements are not mapped for the Product Structure and Process plan, then system will map the all the parts to the first operational task copied in the make Work order

Drawing Information section displays, list all the drawings defined for PS Part #, its constituent parts and process plan tasks in **Manage Engineering Drawings** screen. Still user can manually add any additional drawings against specific work order by selecting the "Source Type" as "Others". These modifications will be allowed only if "Drawing changes in WO ?" is set as "Allowed" for the selected product structure in **Manage Product Structure** screen under **Product Structure** business component..

Whenever user copies the new set of manufacturing data then user has to select the Get Latest Version button by entering the As on Date. Get latest revision details will fetch the latest Product Structure, process plan and Drawings information effective for the As on date of the manufacturing part. **Manufacturing Data** screen also lists the certificate information for the Manufacturing Part in the Work order. If only one certificate type is required then display the certificate type in the Manufacturing data screen. If multiple certificates are required then display the string 'Multiple'. User can view multiple certificate information by clicking on certificate details link.

Certificate Information

A new screen **Certificate Information** has been added under **Shop Work Order** business component. Certificate Information screen captures the Certificate Information that needs to be issued after manufacturing of parts. Certificates that are added against Part # in the Part Manufacturing information will be copied automatically in the **Certificate information** screen. User can also add new certificate information in this screen. System will mandate the user to issue all the mandatory certificates before closure of work order.

Exhibit 15: Illustrates the Certificate information for the Work order.

Manufacturing I	Data			↓ ← ? ⊡ 国
Work Order # 1200	017023 Description Manufacturing of F20-95	520563 Primary Work Center # yul-100-00	Status In-Progress	
Creation Date 21-1	-2016 09:39:56			
As on Date	21-10-2016 09:39:56 🛗 Get Latest Version	Certificate Type Multiple	Certificate Information	
Product Structure De				
Part #	Certificate Information		ē ⊄ ? ⊡ ×	
Status	Certificate Information			
Juilda	Work Order # 1200017023	Work Order Description Manufacturing of F20-950521 F	Primary Work Center # yul-100-00	
- Drawing Information	Part # F20-950520563	Part Description ETD Bracket Assemby	Quantity 4.00	
1 - 1/1				<u>م</u>
Source Type	(4 + 1 - 3/3 + 3) + = 0 + 1 + 1			ve From
Product Struc	# Certificate Type Certifying Authority	Certificate Requirements Required?	? Remarks Last Modifie	
Product Struc	1 8130-3 V Aveos	As Requested As Requested As Requested	ested V DMUSER	
	3 T EASA FORM 1 FASA	Mandatory Mandatory	DHISER	
	4 🔟 🗸 ASA	× As Reque	ested v	
4	4		•	
a data se la secola de		Save		÷.
Additional Detail	Manage Certificate Applicability	Issue Certificate Of Maintenance Maintain Part	Manufacturing Information	
Record Statistics				

Review or Manage certificate Requirements

A new screen **Review or Manage Certificate requirements** has been added to review or manage the certificate requirements for the Work Order and also the list all the Certificates that needs to be printed for the Work Order #. System will list all the certificates that are required to be issued against each Part or Part – Serial / Lot combination.

List the certificate requirements for the work order based on the option setting "Issue Distinct CoM?" in **Define Process Entities** activity of the **Common Master** business component. If it is set as 'Yes', then display the distinct certificate requirements against each certificate type and also against Part – Serial

#/Lot #/ None (Qty). If it is set as No, then display the list with only one certificate requirement in the Review or Manage Certificate Requirements. Issue COM screen can be launched by selecting Issue COM from the **Record Shop Execution Details** screen, only when the Issue distinct COM is set as 'Yes'. Otherwise existing Issue COM will be launched.

Tile section has been provided to give summary to user about certificate requirements of different type of certificates associated with selected work order document. On click of search, the system should fetch Tiles information and display the count of certificates that are created or yet to be created in the respective tile for the given Search Criteria:

- 1. All Certificates
- 2. Certificate of Maintenance
- 3. Certificate of Conformity
- 4. Certificate of Calibration

Selection of each tile will display the respective documents that are already created and yet to be created. The system retrieves the Certificate that is already created, along with the existing certificate *#*, and the new certificates which needs to be created before closure of the work order. Existing certificates will be eligible for the Reprint and new certificates will be eligible for new certificate creation. User can issue "Print Id tag", "Certificate of Maintenance", "Certificate of conformity" and "Certificate of Calibration" from this screen. If a work order has only one certificate and "Distinct Issue CoM" option is set as '0', then on click of "Issue certificate of Maintenance" from **Certificate Information** screen, "Issue certificates" screen will be launched.

Exhibit 16: Illustrates the Manage / Review Certificates screen

		Work C	0rder # 120	0017123		Part #/ Serial #				I	ssued Date From /To			(III)		ß	曲
		Certificate S	tatus		Ŧ	SWO Status			Ŧ	P	rimary Workcenter #						
		Addl. Attr	ibute	Ŧ		Search On		-			Issue Emp #/ Name						
							Get										
9	All	Certificate	8	Certificate Of Maintenance	0 Certificate Of Conformity	0 Certificate Of Calibration	1	Part Id Tag									
L			- · · ·														
— -C	ertif	icate Details															
44	4	1 - 9 / 9	• •	- T T,			7		e	# # III	All		Ŧ			۶	D
#		SI.No	Doc. Type	Ref. Dor	cument #	Component #		Certificate #		Certificate Type		Action	Cer	tificate S	itatus		
1		1	AWO	1200017	'123	A103972				8130-3		0					
2		2	AWO	1200017	123	A103973				8130-3		0					
3		3	AWO	1200017	'123	A103974				8130-3		0					
4		4	AWO	1200017	123	A103975				8130-3		0					
5	1	5	AWO	1200017	'123	A103972				BRAZIL-ANAC-	Segvoo-003	0					
6	E	6	AWO	1200017	123	A103973				BRAZIL-ANAC-	Segvoo-003	0					
7	E	7	AWO	1200017	'123	A103974				BRAZIL-ANAC-	Segvoo-003	0					
8	E	8	AWO	1200017	123	A103975				BRAZIL-ANAC-	Segvoo-003	0					
9	E	9	AWO	1200017	123	A103972		PTAG000049				0	Арр	roved			

Exhibit 16: Illustrates the Manage/Review Certificates Work Monitoring and Controlling:

Review / Plan Material Requirements

A new activity **Review / Plan Material Requirements** has been added under **Work Monitoring and Control** business component to aid production planner to plan his Task – part requirements for the manufacturing job. It also aids planner to plan his materials based on the Planned Start date of the Task. This screen aims to plan his requirements effectively to complete the manufacturing job within stipulated timelines.

System also aids the planner by providing the Recommended Action for the material requirements and also displays the Proposed Order Date for the planner based on the lead times. It will help him to avoid stock out and overstocking situations of the inventory. Screen will list entire Task part Requirements and also helps him to generate the Source Documents for the material requirements. Source action for the Task – part requirements will be copied from the Product structure information of the Part #. It also displays the Constraint information along with the Planning status for each material requirement.

Exhibit 17: Illustrates the Review/Plan Material screen

	erial Requirements					그\$ 등	₽ ← ?
) ocuren	Ref. Doc. Type Shop Work Order#	▼ 1200009423	Search C	Dn 🔻	T	Work Center #	
	Date From/To Planned Start Date	* B B	Addl. Search C	Dn 💌	•	Processing Status	
				Search			
de Child /							
elated WO	10 ALL	6 Parts not 0 Need Date	0 Early - Need	7 Parts not 0 Critical Pa	irts		
	10	Available Crossed	Date	Planned			
						Simple Detail	
Shop Work	(i)	• • • = 0 < T T.				a a II Al	v
120000	# 🗇 Planning Status	Work Order #	Task #	Planned Start Date	Planned End Date	Part #	Qty.
•	1 🗉 📀	1200009423	MKTSK311	16-10-2016	16-10-2016	0-1:58065	1
	2 🔟 🤡	1200009423	MKT5K311	16-10-2016	16-10-2016	0-1:58065	1
	з 🗉 🤡	1200009423	MKTSK316	16-10-2016	16-10-2016	N21F2-90-R-1	1
	4 🖾 🔘	1200009423	MKT5K311	16-10-2016	16-10-2016	00-200-1483:K0654	1
	s 🗇 📀	1200009423	MKTSK311	16-10-2016	16-10-2016	0292107960:F0228	1
	6 🖾 🔘	1200009423	MKTSK315	16-10-2016	16-10-2016	190-92505-401:5H277	1
	7 🖾 📀	1200009423	MKTSK316	16-10-2016	16-10-2016	MAT-EXCH-03	1
	8 🖾 🥥	1200009423	MKTSK316	17-10-2016	17-10-2016	MAT-EXCH-03	1
			MKTSK316	17-10-2016	17-10-2016	N21F2-90-R-1	1
	9 🗇 📀	1200009423	riter propag				

Search Criteria section will help the user to retrieve the Work Orders for which planner has to plan the Material requirements. Multiple Work orders can also be planned at a time. Tree will display the distinction between multiple work orders. If the related work order that is created because of the part requirements of the parent work order, then the related work order will be listed as a hierarchy list in the tree.

By enabling the checkbox 'Include child / related WO', will display all the parent and related work orders (i.e. New make work order created due to part requirements will be displayed in the tree by linking the Task to the new related work order.) in the tree, that was created as part of material requirements. Summary of material requirements will be displayed in the tile sections. Each tile logic is mentioned below.

- A. All All parts required to complete work order
- B. Parts Not Available Parts that are not available in the stock will be displayed in this Tile.
- C. Need Date Crossed If the Source Document Need Date is later than the Task Start Date of the Work Order.
- D. Earlier Need Date if the parts are available before the planned Start Date of the Task in the Work Order.
- E. Part Not Planned: If the material requirements are not planned for the Tasks #.
- F. Critical Parts: If the Source Document need date is not matched with the Planned Start Date of the Task # in the Work order and also the lead time to need date difference is low*.

Task Part requirements will be derived from the Product structure of the manufacturing Part # defined in the **Manage Product Structure** screen. If the constituent parts are not mapped with any task, then system will automatically map the part with first task available in the Process Plan.

User can plan the part requirements by selecting source action defaulted from the product structure. If the Source action (i.e. Purchase Request, Work order), is selected, then the respective source document will be generated. Part requirements multiline provides the user the planning status of all parts associated with a work order. If for few parts planning is not done, "Generate Source Documents" push button has been provided to generate Material Request # for that part and also based on "Recommended Action" in multiline respective Source Document is generated.

If part is available in warehouse with required unallocated quantity, Issued document # is generated in Source document. If Recommend Action for a part is 'Procurement', Purchase Request # will be generated as source document. And Recommended Action for part is 'Make', Make Work Order # is generated.

In case, if the parts are getting delayed for the source document, then respective source document will be short closed and the same part is eligible for re-planning. Short Close MR button has been provided to short close the MR generated for a part. It will also close the Source Documents related with this MR. Similarly, Cancel Work Order button is added to cancel the existing Work Order generated for a part requirement. In the same way Short close Purchase request button has given to short close the existing Purchase request for a part.

Accounting Pre-requisites for Part Manufacturing:

A new Automatic Post Account Type, "PRODUCTION WIP" has been introduced to account for the WIP (Work In Progress) cost incurred while manufacturing Part(s) through Shop Work Orders of Shop Job Type "Make". (Note: This new account code will be applicable for both Normal Make Work Orders and Manufacturing Make Work Orders with expense type "Revenue"). The Material, Labor, Other Resources & External Service costs incurred in Manufacturing will be accounted to this automatic posting account type during Issue of spare Parts, Return of spare Parts, Interim Return of the core etc., and the same will be knocked off during final return of the manufactured parts back to Inventory. However for Make work orders with expense Type "Capital", cost will be accounted in the existing frame to the CWIP (Capital Work in progress) account.

A new pre-defined usage "PRODVAR" (Production Variance) has been introduced to account for the variance in case Standard Cost based valuation is opted for the Manufactured Part. The difference between the Actual Cost for manufacturing and the Standard Cost will be accounted in the Production Variance account. (The default cost center for this Production Variance account can be defined in the Finance Setup \rightarrow BU Parameter Setup \rightarrow Set Parameters – Default Cost Center.) The break-up information for the balance in the PRODUCTION WIP can be reviewed in the View Account Balance report (Book Keeping \rightarrow Finance Book Processing \rightarrow View Account Balance) for the Transit Account Type 'PRODUCTION WIP'.

Illustration of Accounting Entries for Parts Manufacturing

Scenario 1: Manufacture of Revenue Part SWO with Shop Job type: - Make

Particulars	Debit	Credit
Revenue Parts Issued to SWO	Production WIP A/c USD 1,000	Inventory A/c USD 1,000
Revenue Parts returned from SWO	Inventory A/c USD 300	Production WIP A/c USD 300
Capital Parts Issued and Returned against SWO	No Account Postings	No Account Postings

Particulars	Debit	Credit
(A) If Manufacture Valuation	Method for Part is: - Actual Cost	
Main Core Return after Manufacture	Inventory Account A/c USD 700	Production WIP A/c USD 700
(B) If Manufacture Valuation	Method for Part is: - Standard Cost (USD	9- 2,000)
Main Core Return after Manufacture	Inventory Account A/c USD 2,000	Production WIP A/c USD 2,000
Production Variance Accounting	Production WIP A/c USD 1300	Production Variance A/c USD 1300

Scenario 2: Manufacture with Activity Level Subcontracting: - Revenue Part SWO Shop Job type: -

Particulars	Debit	Credit
Revenue Parts Issued to SWO	Production WIP A/c USD 1,000	Inventory A/c USD 1,000
Revenue Parts returned from SWO	Inventory A/c USD 300	Production WIP A/c USD 300
Capital Parts Issued and Returned against SWO	No Account Postings	No Account Postings
Interim Return- Activity Level Sub-Contracting- (for closed Tasks)	Inventory A/c USD 700 (Semi-Finished Inventory)	Production WIP A/c USD 700
Repair Order Issue	Production WIP A/c USD 700	Inventory A/c USD 700
Repair Order Receipt	Stock Suspense A/c USD 700	Production WIP A/c USD 700
Vendor Liability for Activity level subcontracting Manufacturing (Always <i>Add to Stock)</i>	Stock Suspense A/c USD 500	Supplier Suspense- Service A/c USD 500
Repair Receipt Movement	Inventory A/c USD 1200	Stock Suspense A/c USD 1200
Main Core Issue to SWO	Production WIP A/c USD 1200	Inventory A/c USD 1200

Particulars	Debit	Credit							
Revenue Parts Issued to SWO	Production WIP A/c USD 50	Inventory A/c USD 50							
Service/Adhoc/Direct Expense	Production WIP A/c USD 50	Supplier Suspense/Control A/c USD 50							
(A) If Manufacture Valuation Method for Part is: - Actual Cost									
Main Core Return to Warehouse after Manufacture	Inventory Account A/c USD 1300	Production WIP A/c USD 1300							
(B) If Manufacture Valuation	Method for Part is: - Standard Cost (USD	D- 1,000)							
Main Core Return to Warehouse after Manufacture	Inventory Account A/c USD 1,000	Production WIP A/c USD 1,000							
Production Variance Accounting	Production Variance A/c USD 300	Production WIP A/c USD 300							

Note: This feature involves commercials and is not available for all customers. Please contact your Ramco Account Manager.

Ability to provide need date for Material Requests in RSED

Reference: AHBG-6739

Background

Need Date is automatically derived by the system when a Shop Mechanic raises a Material Request from the **Record Shop Execution Details** page and is not available for the Mechanic to see/add the date. But sometimes, the Mechanic wants to provide the date or the Organization wants to mandate the Mechanic to enter the date. So the Need Date is introduced where user can not only enter a custom Need Date during part requests, but can also be mandated to enter the same if left blank.

Change Details

In the **Record Shop Execution Details** screen, a new column '*Need Date*' has been added in 'Part Details' multiline of **Material Request** tab.

Exhibit 1: Need Date column in Record Shop Execution Details screen

★ 📄 Record Shop Execution Details															Ramco Role -	RAMCO OU	7\$	Ē		- ?	6
- Search																					
Search On Shop WorkOrder # OWO	D-00937	70-2016				Get					Date	8. Tim	2016-10	-27 5:32:06 PM	8						
	W	ork Act	ual Report Fin	din gs	Disassemble & As	semble Cor	e Initial W	orksco	ping	Materia	l Reques	t									_
🕹 🗄 E_Search - Filter 🔺 🖓 🖗	=	Executi	on Details																		
- ✓ S 0-0511-4-0040:36361::/MEG/ ▲ ✓ S :35895 CRATES::test::1.00: G C 2:: Op1-Make-3 :: OP1-MAKE-3			SWO# Status	OWO Planned		CWO-00	9370-2016					Event lob Typ	# CWO-0 pe Make	09370-2016	Primary	y Work Cente	r YUL-	100-0	5		
Nevy Request	÷	Main G	re Details																		
	+	Custom Part De	er Order Details tails																		
Construction of the second se	4	1	1 - 5 / 5 🕨	•	+ - 0 +	0 Q T	Τ,		μ.	n a x	⊠ ⊞	x4 C		III AL		Ŧ	_	J	D		
a a 135895 test intest in1.00 in1.0			Task# 🔎	Seq. #	Part # 🔎	Bt. Qty.	Qty.Reqd.	UOM	N	arehouse #	Stock Sta	tus	Avbl. Qty.	Part Desc.	Need Date	Materia	Reques	st∦			
New Request	1		make-test-1	3	:35895 test	4.00	1.00	EA	• 01	123 🗸	Accepted	*	146.00	test	2016-11-03	DOC000	878201	6			
Request Generated	2		OP1-MAKE-2	1	0-0511-4-	3.00	1.00	EA 、	• 01	23 🗸	Accepted	*	0.00	MEGAPHONE	2016-10-31	DOCD00	877201	.6			
- V =::35895 test::test::1.00::1.0	3		UPI-MAKE-3	2	3513134-	4.00	1.00	EA	0	123 🗸	Accepted	*	485.00	Heat Sneld	2016-10-30	DOCIDO	876201 979301	6			
	5		OP1-MAKE-2	1	:35895 CRATES	5.00	1.00	EA	01	123 ¥	Accepted	~	0.00	test	2016-10-27	SMR-00	7911-20	16			
	6					5100	2100		-	×	epreu	*			/						
E Links																					
Record Missing Parts List																					
Record Part Deviation List																					
Report Resource Actual																					
Record Parameter Reading			<															>			

The user can leave it blank during a part request and let the system default the Need Date (as per below logic) or enter the Need Date manually. Only today's date or a future date is allowed to be entered as Need Date. If Need Date is not specified by user, system will derive and default Need Date based on the following logic:

- Need Date will be defaulted with the Task's 'Planned Start Date' if it is a future date.
- Need Date will be defaulted with the Current Date if the Task's 'Planned Start Date' is a past date or current date.

A set option has been provided to configure whether the Need Date should be enforced to be manually entered or to let the system default the date automatically if not provided.

Under **Common Master** business component, a new process parameter "Enforce Need Date during requisition of Parts from RSED screen?" has been added under the entity type "Shop Work Order" and entity "-All Work Order-" with permitted values as "0" (for No) and "1" (for Yes):

- If set as 'Yes', system will enforce manual entry of Need Date while requesting for parts from RSED screen.
- If set as 'No', system will not enforce manual entry of Need Date and it will be updated automatically based on Plan Start Date of the Task or current date.

WHAT'S NEW IN ENG. CHANGE ORDER?

Ability to manage BoM, Process Plan and Mfr. Drawings through Eng. Doc

Reference: AHBG-9594

Background

This enhancement brings a new business component **Engineering Change Order** into being under the BPC **Engineering Change Managements** to regulate and track the revisions in Product Structures (BoM), Process Plans and Drawings in the Manufacturing Setup business component.

Change Details

A new screen Manage Engineering Change Order has been introduced in the new component Engineering Change Order. This screen will enables users to provide an overall picture of the changes proposed to be incorporated into a specific Product Structure, Process Plan and Drawings with reference to Engineering Change Order document. To facilitate changes happening in Product Structures, Process Plans and Drawings in a controlled and foolproof manner, any revision for the changes of Product Structures, Process Plans and Drawings must be confirmed and approved by designated authority in this new component.

Manage Engineering Change Order

This Engineering document facilitate users to control and track Engineering changes to Product

Structures (BoM), Process Plans and Drawings.

Exhibit 1:

Eng. Change Order – Mode

★ 🗎 Manage Engine	eering Change Order			
🔘 View / Edit 🔘 Create 🗨	Eng. Change Order #	Get		
Basic Details Regulatory Authority	Create, View and Edit	Effec. from Date	User Status	▼
Source Doc. Type	Eng. Change Order	Source Doc. #	Doc. Category	•
Eng. Change Order Subject				

When the User clicks on Create mode a new Eng. Change Order can be created in Fresh status by saving the following mandatory information's.

- Eng. Change Order # User entered alphanumeric like serial number of the ECO.
- Regulatory Authority Select the Authority
- Source Doc. Type Select the Source Document type
- Source Doc. # User entered alphanumeric Source Document number

Exhibit 2:

Eng. Change Order – Set Options

^ >	Maintenance Setup > Common Master > Set Process Parameters					
*	Set Process Parameters		Ramco Ro	le - RAMCO OU 📢 📢 丨 🕨	» 1/1 ≭ 🖶 🛱	← ? ⊡
- En	tity Details					
	Entity Type Eng. Change Order	v		Entity Eng. Change	e Order 🛛 🔻	
	Record Status Active		Process	s Parameters Defined? Yes		
Pr	ocess Parameter List					
	4 1 -3/3 → → + ○ ○ ▼ T _x			🗎 💴 🔻 🗮 💷 🗛	•	Q
#	Process Parameter	Permitted Values		Value	Status	Error Mess
1	Allow Product Structure revision without Eng. Change Order reference?	Enter "0" for "No", "1" for "Yes"		0	Defined	
2	Allow Process Plan revision without Eng. Change Order reference?	Enter "0" for "No", "1" for "Yes"		0	Defined	
3	Manage Drawings without Eng. Change Order reference?	Enter "0" for "Not Permitted", "1" for "Permitted"		0	Defined	
4						

Setting parameters in the **Define Process Entities** Business component

The following Process Parameters have been added in the **Define Process Entities** activity under the Entity Type "Eng. Change Order" and Entity "Eng. Change Order".

- Allow Product Structure revision without Eng. Change Order reference?
 If set as No, then system will not allow users to create Product structure revision if there is no
 ECO reference in Approve status. If set as Yes, then system will allow users to revise and make
 any change in the Product Structure without Eng. Change Order reference. If value is not defined
 then system considers it as "1" i.e. Yes.
- Allow Process Plan revision without Eng. Change Order reference?

When set as No, the system will not allow users to create Process Plan revision if there is no ECO reference in Approve status. If set as Yes, the system will allow users to revise and make any change in the Process Plan without Eng. Change Order reference. If value is not defined then system considers it as "1" i.e. Yes.

Manage Drawings without Eng. Change Order reference?
 When set as Not Permitted, the system will not allow users to Manage Drawing changes, if there is no ECO reference in Approve status. If set as Permitted, then system will allow users to revise and make any change in the Drawings without Eng. Change Order reference. If value is not defined then system considers it as "1" i.e. Yes.

Exhibit 3:

Eng. Change Order - Status

Change Change	Managements > Engineering Ch	ange Order 冫 Manage Engir	eering Change Order	Eng. Change Order			
Manage Engineerin	g Change Order			status display	Ramco Role - RA	мсооция 🖶 🛱 🗲	? 🛯 🗖
View / Edit O Create	Eng. Change Order #	EC50498	Get	status display			
- Basic Details							
Regulatory Authority	FAA	Effec. from Date	21/02/2017	User Status CRITICAL 🔻		Status	
Source Doc. Type	External 💌	Source Doc. #	SDC21873	Doc. Category CAT-1 💌		Doc. Date 22/02/2017	
Eng. Change Order Subject				\sim			
Execution Details							
Priority	•	Est. Man Hrs.		Est. Elapsed Time	Hours 💌		
Comments				$\hat{}$			
Summary 0	duct Structure Process Plan	Drawings 0	Additional Info. 0				
# Ø PS Part # 0	PS Class	Ora Rev. #	Change Details	Open Work Order	All	Pernorshilty	
1 PN000652	ns-class7	01g. Nov. #	change becaus	open work order	Kemana	reaponability	
2 🗈	po causo /						
				Eng. Chang control trar	ge Order stationsaction butte	us ons	
<							>
File Name 👂	View File	Authorization Ref. #		Processing Comments			\bigcirc
		Save	Confirm	pprove - Close -			

The Eng. Change Order will be created in the 'Fresh' status and can be updated to the following statuses.

- Confirm Fresh Eng. Change Order will be confirmed only when the change detail of Product Structure, Process Plan and Drawings are recorded. There should be at least one change detail in any of the one entity. Once confirmed the Eng. Change Order can be allowed to Return or Approve or Short Close.
- **Return** When Confirmed Eng. Change Order needs modification in the saved change details of the Product Structure, Process Plan and Engineering Drawings then it could be Returned and

saved again. Once Returned the Eng. Change Order can be allowed only to save it again and now

the status will be from Fresh.

 Approve – The status Approved will be updated after confirmed, no corrections allowed in the Eng. Change Order and then line level status will update as Pending. Once approved the Eng. Change Order can be allowed to Close or Short Close.



- Close If the change details successfully incorporated by revising the Product Structure (BoM), Process Plan and Drawings, then incorporated change details in the Eng. Change Order have to be updated manually as Complete and will be updated as Closed.
- Short Close Eng. Change Order will be Short Closed from Fresh, Confirmed and Approved statuses and then all the line level status will update as Short Closed.
- **Cancel** Eng. Change Order will be cancelled from Fresh status. Once the Eng. Change Order is cancelled no further update is allowed.

Close	
Cancel	
Short Close	
Close 🔽	

Camille

Note: Closed, Short Closed and Cancelled are considered as terminating status.

Exhibit 4:

Eng. Change Order – Tile box

The following Tile boxes are given below.

					Eng. Change Ord	der Tile box		
Sum	Product Structure	Process Plan 0	Drawings 0	nal Info.)				
44 4	[No records to display]	► ► =				All	Ŧ	Q
#	Entity Type	Entity	Entity Class	Org. Rev. #	Updated Rev. #	Updated Rev. Status		Remarks
1								
	<							>

Summary, Product Structure, Process Plan, Drawings and Additional Info are the Tile Boxes in the Eng. Change Order.

 Summary – It will list all the Entities of change details i.e. Product Structure, Process Plan, Drawings and Additional Info. and each status can be controlled by the user manually in Summary. Original Rev. will be derived from the Manufacturing Setup to the Product Structure and Process Plan when it is added to the Eng. Change Order and Updated Rev. is the latest revision will be derived from the Manufacturing Setup to the Product Structure and Process Plan.

	Summary 0	Product Structure 0	Process Plan Dra	wings Additiona	al Info.						
44	4	[No records to display]	► ► =					All		•	Q
#	🖹 Org. I	Rev. #	Updated Rev. #	Updated Rev. Status		Remarks	Status	Update	iBy ₽	Updated Date & Time	
1								V			
		C	Driginal Revision #, U Revision # and Status	Jpdated s			Pending In-Progress Completed Short Closed		Eng. Char Line statu	nge Order ses	

Product Structure – A valid Product Structure i.e. PS Part # and PS Class its change details can be saved in this tile, once saved the Original Revision # i.e. Revision # of the PS Part # and PS Class combination when it added to the Eng. Change Order will be displayed in the summary along with PS Part # and PS Class. Open Work Order will derive the count of shop work order is still not closed for the PS Part #.

	Sum	Product Structu	re Process Plan 0	Drawings Add					
44	•	[No records to display	y] ▶ ₩ ₩				All	v	Q
#		PS Part # 🔎	PS Class	Org. Rev. #	Change Details	Open Work Order	Remarks	Responsibility	Last Modified
1									
		<							>

Process Plan – A valid Process Plan # its change details can be saved in this tile, once saved the
Original Revision # i.e. Revision # of the Process Plan # when it added to the Eng. Change Order
will be displayed in the summary along with Process Plan #.

	Summary Product Structure Process Plan Drawings Additional Info. 0 0 0 0											
44	0	[No records to display]	► ► =					All	T	Q		
#		Process Plan 🔎	Org. Rev. #	Change Details	Remarks	Responsibility	Last Modified By		Last Modiifed Date & Time			
1												
		<								>		

• **Drawings** – A valid Drawing information of Product Structure (BoM) and Process Plan its change details can be recorded in this tile. If any engineering Drawing information available for PS Part

#, Part # (Child Part of PS Part) and Task # (Task in Process Plan) and that needs to be modified,

then the same will be saved under the respective entity in the Drawings tile.

Document from the Library Information can be associated to the drawings each entity.

	Sum	Product Structure	Process Plan Di O	Additional Ir	ıfo.	Entity PS Pa PS P Task	art 🗸 🗸		
44	•	[No records to display]	▶ ≫ =			Part	All	T	Q
#		PS Part # 🔎	PS Class	Org. Rev. #	Doc. # 🔎	Document Title	Change Details	Responsibility	
1									
							Drawings Entity		
		<							>

• Additional Info – Any note for references can be recorded in this tile. The user can create an entity against the Product Structure, Process Plan and Drawings and record details for the same.

	Sum	nmary O	Product Strue	cture Process Plan 0	Drawings 0	onal Info. O				
	•		[No records to dis	play] 🕨 🗰 🗮				All		۹ ۵
#		Entity		Change Details	Responsibility	Last Modified By	Last Modified Date & Time		File Name 🔎	View Attac
1										
		<								>

Exhibit 5:

Eng. Change Order - Revision Source in Manufacturing Setup

New Revisi	on			?	Ľ¢.	x	
Effective From	24/02/2017 17:52:32	× 🗰 Source	Engg. Change	•			~
Remarks		$\langle \rangle$			Revi	sion Sou	urce
		Update)	l			
							~
<							>

In **the Manufacturing Setup** business component, the change details saved in the Eng. Change Order for the product structure and process plan will be incorporated by saving it to the new revision. In the new revision, Source will be updated as Eng. Change Order and Eng. Change Order #. However, the Eng. Change Order document on which the revision is based must not be in the Closed, Cancelled and Short Closed status.

Upon successful revision of the product structure and process plan, the new revision # and status are back updated as 'Updated Revision #' and 'Updated Revision Status' in the Summary tile of the connected Eng. Change Order document.

Exhibit 6:

Eng. Change Order - Data hyperlink

	Summary 3 Product Structur 2	e Process Plan 1	Drawings 0	Additional Info. 0
•	 4 1 - 2 / 2 → → = 			
#	Change Details	Open Work Order	Remarks	Responsibility
1	Development Change	0	Rn Data hyperlink	<
2	Development Change	0	RN	
3				
	-			
	<			

Open Work Order – Data hyperlink will display the count of shop work order in Planned, In-progress status to the Part # in the Product Structure and it launches the Plan Work Order screen where the user can also plan for execution.

Exhibit 7:

Eng. Change Order – Link

	Summ 3	Product Struc 2	ture Process Plan 1	Drawings Additional 0	Info.		Link	
44	4 1	1 -2/2 → → =				All		Q
#		Remarks	Responsibility	Last Modified By	Last Modified Date & Time	File Name 🔎	View Attachment	
1		Rmmm01		DMUSER	21/02/2017 10:39:35			
2		RMKS01		DMUSER	21/02/2017 10:39:35			
3								
		<						>

Link - 🗎 - This link is available in the Product Structure, Process Plan and Drawings sections and it launches the Manage Product Structure, Manage Process Plan and Manage Engineering Drawings screens.

The following links are available in the Summary section.

- Manage Product Structure
- Manage Process Plan



- Manage Drawings
- Upload Documents
- View File

1	Entity Type	Entity	Entity Class	Org. Rev. #	Updated Rev. #	Updated Rev. Status	Remarks
10						Links Section	
	<						
	Manage Product Stucture		Manage Process Plan		Manage Drawings	Uplo	ad Documents

The **View File** link will open the attached file which was uploaded against the Eng. Change Order document.

China

Note: This feature involves commercials and is not available for all customers. Please contact your Ramco Account Manager.

WHAT'S NEW IN TECHNICAL RECORDS?

Ability to view technical records of entire fleet and direct access to Tech Records hub

Reference: AHBG-6110

Background

The new **Fleet Overview** screen caters to the business need for a top-level view of technical and exception status of the organization aircraft and, from there on the ability to traverse to the Tech Records Hub to perform Configuration, Program and Compliance tasks on individual aircraft. An innovative facility called bookmarking of specific aircraft has also been introduced in this screen. Users can now bookmark aircraft that they work with frequently or that have tasks pending to be executed / completed on them. This helps users to retain focus on specific aircraft since the last visit to the screen instead of repeated search of the entire fleet.

Change Details

This enhancement introduces **Fleet Overview** screen of **Technical Records** business components. In Fleet Overview, the screen layout is designed as follows.

- Exception Tiles
- Search Section
- Fleet Details Grid
- Links
- Cards for Aircraft Details, Engine Details, Parameter Details
- Next Due for scheduled maintenance
- Deferred Items

Detailed description on each of these sections follows next.

Exhibit 1:

Fleet Overview screen

? >	Confi	gurat		Man	agement > Te	chnical Records	> Fleet Overv	iew						
*	🗎 F	leet	Ove	rvie	w							Ramco Role - RAMCO C	. → 12 🖶 12 + 10]
~	My Fle	eet			All 3	1072	Escalation	9 Overdue	132 Remaining	Days <5 7	»»	Aircraft Details Aircraft Model # B767-200	Aircraft Reg # VT7101	
Fleet	: Deta	iearch ils	On					Include Ir	active Aircrafts Search	+ Create Aircraft Record		Config. Class SPEC	Aircraft Ownership Owned	//
44	4	1	-	11 /	1072 🕨 🕨	=			All	•	Q	Owning Agency #	Owning Agency Name	
#					Model #	Aircraft Reg #	MSN	Condition	Aircraft Group	Latest JL	Tn			
1			*		A310	0001	0002	Operational					171 0	
2		•	*		A310	001	002	Operational				Next Due 5 Deferred	a items O	
3		•	*		101-00	1	1	Operational						
4		•	*		A310	101HQ	101HQ	Operational				Rem. Value: (187) Days	1-50C-0000-CMM-00000776 PME-1	
5			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		A310	102HQ	102HQ	Operational						
6			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		A310	103HQ	103HQ	Operational	401200-A320-FLEET	JL-0003092013	Ca	Trig Param Calendar	3-0000007	
7			76		A310	104HQ	104HQ	Operational				Rem. Value: (187) Days	Restoration Task	
8			76		A310	105HQ	105HQ	Operational			Ca			
9			- 76		8/8/	10/1	AI10/1	Operational		31 00020(2012	Ca	Trig. Param: Calendar	1-50C-0000-CMM-00000053	
10			-		A310	1101	MSN1101	Operational	417005 4040 51555	JL-0003062013	Ca	Rem. Value: (160) Days	PME-1	
11			~	Ξ	A310	1101-1	MINS	Operational	41/895-A310-FLEET		Ca			
								<		2	>	Trig. Param: FH	1-50C-0000-CMM-00001352	~
	😤 Airc	raft D	etails			Technical Reco	ord Info.	Due	List Report Edit Aircraft	Record Maint. Discrepanc	y Info.	Rem. value: 150.00HRS	PME-1 TOP Part PZ	Ť
												Packaged	Alert Over	lue

Now let us understand the various sections in detail.

Exhibit 2:

Fleet Overview screen - Exception Tiles - My Fleet, All, Escalation, Overdue and Remaining Days <5

My Fleet		All	Escalation		Overdue		Remaining Days <5	
• 1	L	E 1180	B	9	0	287	<u> </u>	55

Exhibit 3:

Fleet Overview screen - Exception Tiles - Error Position, Pending Initialization and Open Package

Error Position		Pendir	1g Initialization		Open Pa	ckage	
A	5	×		85	¥		92

Exception Tiles

This section displays the following tiles in the listed order:

- My Fleet The user can click on the bookmark icon I in the multiline against the aircraft to be added to the 'My Fleet'. After bookmarking an Aircraft, the Aircraft gets added to the 'My Fleet' & the icon changes to
- All This tile displays the entire list of Aircraft available in the Organization
- Escalation This tile displays the number of aircraft with short term escalations
- Overdue This tile displayed the number of aircraft with overdue tasks. This exception tile
considers the attached components also (i.e.) even if the subassembly attached to the Aircraft is having overdue tasks, then the aircraft is considered to be overdue.

- Remaining Days < 5 This tile displays the number of aircraft with tasks which will get due in 5 days. This exception tile considers the attached components also (i.e.) even if the subassembly attached to the Aircraft is having tasks with Remaining Days < 5, then the Aircraft is considered to have exception.
- Error Position This tile displays the number of aircraft having error positions in their configuration. This exception tile considers the attached components also (i.e.) even if the subassembly attached to the Aircraft is having error position, then the Aircraft is included in the tile.
- Pending Initialization This tile displays the number of Aircraft having Schedules to be initialized in their Maintenance Program. This exception tile considers the attached components also (i.e.) even if the subassembly attached to the Aircraft is having Tasks which are not initialized, then the Aircraft is included in the tile.
- Open Package This tile displays the number of Aircraft having open packages (i.e.) Packages which are in the 'Planned' and 'In-Progress' status.
 - Note: By default, if there are no Aircraft bookmarked in 'My Fleet', then 'All' tile will be enabled on page launch. If the user has bookmarked any Aircraft to 'My Fleet', then 'My Fleet' will be defaulted on every page launch.

Exhibit 4:

Fleet Overview screen - Search Section

Search On Include Inactive Aircrafts Search + Create Aircraft Record

Search Section

This section allows keyword search to be performed in the following

- Aircraft Reg. #
- Model #
- MSN #
- Customer #
- Aircraft Group

User can launch 'Create Aircraft' screen by clicking the following icon.

+ Create Aircraft Record

When the 'Include Inactive Aircraft' is unselected, the system does not consider the Inactive Aircraft for the search operation. Search depends on the tile which is active. For example, if the user has clicked on the 'Escalation' tile (say, with 9 records) & tries to perform search operation, then the search will be performed in these 9 records only.

Exhibit 5:

Fleet Overview screen – Fleet Details Grid

Fleet	Detai	s											
••	•	1 - 3	11/:	1180	▶ ▶ =					All		T	Q
#					Model #	Aircraft Reg #	MSN	Condition	Aircr	aft Group		Latest JL	Trig
1			*		B737	0000	0000	Operational					
2			*		A310	0001	0002	Operational				JL-0003282013	
3			*		100-00	0008	MANF-0008	Under Maintenance					
4			*		A310	001	002	Operational					
5		-	*		CESSNA 650	0100	0100	Operational				JL-0003222013	Cale
6			*		101-00	1	1	Operational					
7		•	*		A310	101	002	Operational					
8			*		A310	101HQ	101HQ	Operational					
9			*		A310	102HQ	102HQ	Operational					
10		•	*		A310	103HQ	103HQ	Operational					
11			*		A310	104HQ	104HQ	Operational					
								<					>
	🔆 Airc	aft D	etails			Technical Reco	ord Info.		Due List Rep	port	Edit Aircraft Rec	ord Maint. Discre	pancy Info.

Fleet Details Grid

The Grid is organized in such a way to make overview & further actions at ease & quick by providing the relevant links in place. There are 3 image links as follows.

• Adds the selected Aircraft to the 'My Fleet' tile by bookmarking it

Retrieves the additional details of the Aircraft against which the icon is clicked

Launches the Tech Records Hub (Manage Aircraft / Component Records screen) for the Aircraft Further, data hyperlinks are provided on clicking the values in the following columns

- Aircraft Reg. # Launches the View Aircraft Record screen to view further details of the Aircraft
- Latest JL Launches the View Journey Log screen with the details of the latest Journey Log
- Config. Status Launches the Configuration tab in Tech Records Hub where the user can modify build / approve / view the configuration of the aircraft & the sub-assemblies attached to the aircraft along with other Straight through processing & other actions like Re-Sequencing, Delete Position, Validation.
- Prog. Status Launches the Program tab in Tech Records Hub where the user can associate,

edit, confirm, return or activate the Maintenance Program of the given Aircraft or the subassemblies attached to the Aircraft, along with other Straight through processing & other actions like Validation, Task or Schedule Deletion, Next Due Computation, etc.

- Open Package Launches the Manage Work Assignments & Reporting screen for further processing
- Open EO Launches the Manage Eng. Document screen to modify or release the Open Engineering Document.
- Open STE Launches the Inquire Short Term Escalation screen to view or edit the Short Term Escalations
- Pending Verification & Audit Launches the Track Maintenance Compliance History screen to Verify and/or Audit the pending tasks

Let us know about the columns displayed in the multiple:

- 1. My Fleet (Icon) Indicates whether the aircraft is bookmarked (i.e.) included in 'My Fleet' or not.
- 2. Aircraft Details (Icon) Click to update the screen with the details of the aircraft
- 3. Technical Records Info. (Icon) Click to launch the Tech Records Hub for the respective Aircraft
- 4. Model # Aircraft Model # of the aircraft
- 5. Aircraft Reg # Tail # of the aircraft
- 6. MSN Manufacturer Serial # of the aircraft
- 7. Condition Condition of the aircraft
- 8. Aircraft Group The Aircraft group to which the aircraft is associated. If the aircraft belongs to many Aircraft Groups, all these aircraft groups will be displayed.
- 9. Latest JL Latest Journey Log against the respective aircraft. This column will be blank if the aircraft is having no Journey Logs. Only Journey Logs in Fresh and Confirmed status will be considered
- 10. Trig. Param. The parameter which makes the aircraft due for Maintenance
- Due Value Due Value of the Triggering Parameter. If the Due Value has crossed the Alert Value then it will be displayed in Orange text. If the value is Overdue, then it will be displayed in Red text
- 12. Rem. Value Remaining Value until the task becomes due for maintenance.
- Earliest Due Task / Discrepancy Task / Discrepancy which is the earliest to become due for Maintenance
- Open Def. Count Deferred Items in 'Open' status. '0' will be displayed if there are no Open Def. Count
- 15. Record Status Record Status of the respective aircraft (i.e.) Active, Inactive, Under Creation
- 16. Aircraft Status Quick code defined by the user & tagged to the aircraft record

- 17. **Config. Status** Configuration Status of the respective Aircraft (i.e.) Fresh, Active, etc. This column will display hyphen data hyperlink () when the aircraft is having no Configuration
- 18. Assy. Status Assembly Status of the aircraft (i.e.) Dormant, Complete, etc.
- 19. Prog. Status Program Status of the respective Aircraft (i.e.) Fresh, Confirm, Active, etc.
- 20. **Open Package** The count of 'Planned' and 'In-progress' packages of the respective Aircraft. The count will be displayed as '0', when there is no Open Package for the Aircraft
- 21. **Open EO** The count of released Engineering Documents which are effective for the Aircraft but the Tasks are not complied yet. The count will be displayed as '0', when there is no Open EO for the Aircraft
- 22. **Open STE** Displays the count of Processed STE documents against the respective Aircraft. The count will be displayed as '0', when there is no Open STE against the Aircraft
- 23. Pending Verification & Audit This column will display the count of tasks that are pending to be verified and audited based on the Set Option 'Verification/Auditing of Compliance in "Track Maintenance Compliance History" screen. The count '0' will be displayed, if there are no tasks pending for compliance verification and/or audit for the aircraft.

Links

The following links are also provided

- Due List Report to check the list of tasks that are due & overdue against the selected Aircraft
- Edit Aircraft Record to modify the Aircraft record
- Maintain Discrepancy Information To process open discrepancies & revise deferral limits

Cards section

The Card section has 3 cards which provides additional information related to the aircraft selected in the grid – namely – Aircraft Details, Engine Details and Parameter Details

1. Aircraft Details

Exhibit 6:

Fleet Overview screen – Card Section – Aircraft Details

Aircraft Details										
Aircraft Model #	Aircraft Reg #									
B767-200	VT7101									
Config. Class	Aircraft Ownership									
SPEC	Owned									
Owning Agency #	Owning Agency Name									

The following details are displayed in the Aircraft Details section

- Aircraft Model #
- Aircraft Reg. #
- Config. Class
- Aircraft Ownership
- Owning Agency #
- Owning Agency Name

Aircraft Reg. # is hyperlinked to 'View Aircraft Record' to view further details of the aircraft.

2. Engine Details

Exhibit 7:

Fleet Overview screen - Card Section - Engine Details

Engine Deta A10363	ails 3	A103634							
Part #	CFM-ENGINE		Part #	CFM-ENGINE					
Serial #	SRL-0098		Serial #	SRL-0091					
Part #			Part #						
Serial #			Serial #		1				

The following details are displayed in the Engine Details section for each engine attached to the aircraft.

- Component #
- Part #
- Serial #

The section displays the details for a maximum of 4 engines. Component # for the engines is hyperlinked to '**View Component Record**' to view further details of the Component.

3. Parameter Details

Exhibit 8:

Fleet Overview screen - Card Section - Parameter Details

```
Parameter Details
Total Hrs. 13.40
Total Cydes 6.00
Flight Date 26-05-2016 13:20:00
View Consumption & Range Parameters
```

The following details are displayed in the Parameter Details section for the aircraft in context.

- Total Hrs.
- Total Cycles
- Flight Date (displays the latest Flight date)
- Link to 'View Consumption & Range Parameters' screen

Exhibit 9:

Fleet Overview screen - Next Due

Next Du	ie 27	Deferred Items 3			
•	Trig. Pa Rem. V	aram: Calendar /alue: (458) Days	2-00-B7-98 GVI - Aux Power Unit		^
•	Trig. Pa Rem. V	aram: Calendar /alue: (458) Days	3-31-75 NLG Check	₽	
•	Trig. Pa Rem. V	aram: Calendar /alue: (458) Days	3-32-74 LH MLG Check	₽	
•	Trig. Pa Rem. V	aram: Calendar /alue: (458) Days	3-32-76 RH MLG Check		~
🂫 Pao	:kaged		 Alert 	• Overdue	

Next Due

Next Due displays the count of tasks which fall within the horizon as set by the option 'Planning Horizon

for Job Allocation (Days)'. For each of these tasks, the system displays the following information

- Alert/Overdue icons
 - o Alert The system displays an Orange dot [•] when the Task has crossed its Alert Value
 - o Overdue The system displays a Red dot [•] when the Task is overdue
- Triggering Parameter & Remaining Value
- Task # & Task Description
- Packaged? When the task is already packaged, the system displays the Packaged icon [P] against the Task #

Note: If Remaining Value of the parameter is negative, it is displayed in parenthesis.

Exhibit 10:

Fleet Overview screen – Deferred Items

Next D	ue 2	Deferred Items 6		
•	Trig. Rem.	Param: Calendar Value: (174) Days	TROLLEY-TASK-01 Trolley Inspection	^
•	Trig. Rem	Param: Calendar . Value: (169) Days	1/2011 Damage	
	Trig. Rem	Param: FC Value: 20.00CYC	1/2012 Probes damage	
	Trig. Rem	Param: FC Value: 25.00CYC	1/2013 fuel pumps functionality error	~
💫 Pa	ckaged		Alert Overdue	

Deferred Items

Deferred Items display the count of the 'Deferred' discrepancies for the given aircraft. For each of these discrepancies, the system displays the following information using Alert/Overdue icons:

- Alert [•] if the task has crossed its Alert Value
- Overdue [•] if the task is overdue
- Triggering Parameter & Remaining Value
- Discrepancy # & Discrepancy Description

Note: This feature involves commercials and is not available for all customers. Please contact your Ramco Account Manager.

Ability to view Parameter Values in Tech Records Hub

Reference: AHBG-7939

Background

This enhancement brings about improvements in the **Manage Aircraft / Component Records** screen of the **Technical Records** business component. It addresses the need of the Tech Records personnel who while working on the Configuration and Program details of an aircraft / a sub-assembly may want to view the parameter values of the maintenance object and also its attached sub-assemblies.

Change Details

A new tab **Parameter** is added along with the existing tabs namely **Configuration**, **Program** and **Compliance**. The tab will display the details of all the parameters mapped to the searched maintenance object. There is also provision to display the parameter details of all the sub-assemblies attached to the maintenance object.

Parameter tab

This tab facilitates viewing of the details of the parameter mapped to the searched maintenance object and also its attached sub-assemblies in one go. Further, exception filters and search are provided in the **Parameter** tab in the **Technical Records** hub

Exhibit 1:

Parameter tab – Exception Buttons

> Configuration Management > Technical Records > Manage Aircraft / Component Records												
★ 🔋 Manage Aircraft / Component Records	🗎 Manage Aircraft / Component Records 🛛 🛨 🛱 🔶 ? 🖬											
Manage												
Aircraft	g # P	4H370					Go			1 🖻 🖉 🌣		
Aircraft Reg # MH370 Aircraft Mode	Aircraft Reg # MH370 Aircraft Model # B777-333ER						Mfr. Serial # MH370 Aircraft			Owner	ship Owned	
Configuration Program Parameter Compliance												
MH370 B777-333ER								Exception Bu	uttons			
NO ATA	= Q	All I	Not Init. 3 Init. Value Unknown 0									
P01 SNS001 Flap acutator NN001 COMP-000187											Include Child	1
P02 SNS002 Flap acutator NN002 COMP-000188	44 4	1 - 6 / 6							All	v		
P03 SNS003 Flap acutator NN003 COMP-000189	# 8	Part #	Serial #		Parameter	UOM	Since New	As of Date & Time	Since Overhaul	Initialized Value	Initialized Date / Tir	ne
P05 SNS005 Flap acutator MSN-MH370-1 COMP	1	8		0	EC	EA	15	25-11-2016 15:23:23		20	01-11-2012 15:24:4	8
	2	8		0	EH	HRS	0.00	25-11-2016 15:23:23		0.00	01-11-2012 15:24:4	8
	3	8		0	FH	HRS	9159.33	25-11-2016 15:23:23		9050.00	01-11-2012 15:24:4	8
	4	SNS001	NN001	0	FC	CYC						
	5	SNS001	NN001	0	FH	HRS	109.33	03-11-2016 09:00:00				
	6	SNS001	NN001	0	AMPS			01-08-2014 11:10:00				

The following exceptions filters are available for the user:

- All Retrieves those parameters that are mapped to the maintenance object
- Not Init. Retrieves those parameters that are not initialized and displays their count
- Init. Value Unknown Retrieves those parameters with 'Init. Value Unknown' flag set as 'Yes' and displays their count.



Note: If 'Include Child' is selected then the exception filters retrieves the corresponding parameters of the maintenance object along with those of all the sub-assemblies attached to the maintenance object.

The user can click on the required exception filter to retrieve the criteria-matching records in the multiline.

Exhibit 2:

Parameter tab – Search section

$\langle \uparrow \rangle$	Configuration Management > Technical Records > Ma	inage Ai	ircra	ft / Compo	onent Recor	ds	<u>~</u>									
*	Manage Aircraft / Component Records														← '	? 🗔
	Manage View															
	Aircraft	eg # 👂	MH	370					Go					i	= (? 🌣
	Aircraft Reg # MH370 Aircraft Mode	el# B77	7-33	3ER			Mfr. Serial # M	H370		Aircraft Status Active		Owner	ship Ow	ned		
		Confi	gura	ition Pr	ogram I	Paran	neter Com	pliance								
	MH370 B777-333ER NO ATA P01 SNS001 Flap acutator NN001 COMP-000187				Consumptio	n	•	4	Searc	n section		Include	• Child			
	P02 SNS002 Flap acutator NN002 COMP-000188	44 4	T	1 - 6 / 6							All		v	Include	- crind	Q
	P03 SNS003 Flap acutator NN003 COMP-000189	#		Part #	Serial #		Parameter	UOM	Since New	As of Date & Time	Since Overhaul	Initialized Value	Initial	zed Dat	e / Tim	e
	P04 SNS004 Hap acutator NN004 COMP-000190 P05 SNS005 Flap acutator MSN-MH370-1 COMP	1				0	EC	EA	15	25-11-2016 15:23:23		20	01-11-	2012 15	:24:48	
		2				0	EH	HRS	0.00	25-11-2016 15:23:23		0.00	01-11-	2012 15	:24:48	
		3				0	FH	HRS	9159.33	25-11-2016 15:23:23		9050.00	01-11-	2012 15	:24:48	
		4		SNS001	NN001	0	FC	CYC								
		5		SNS001	NN001	0	FH	HRS	109.33	03-11-2016 09:00:00						
		6		SNS001	NN001	0	AMPS			01-08-2014 11:10:00						

Following searches are available to the user.

- Keyword search in the following attributes Part #, Serial #, Parameter, Parameter Description
- Search by using Parameter Type (i.e.) Consumption, Range, Attribute and Technical

Note: If 'Include Child' is selected then the search will also be performed on the parameters of all the sub-assemblies attached to the maintenance object along with the parameters of the maintenance object

The user can provide the required search text and click on the **Get** button to retrieve the search results in the multiline.

Exhibit 3:

Parameter tab - Tree Header section

> Configuration Management > Technical Records > Manage Aircraft / Component Records													
\star 🔋 Manage Aircraft / Component Records											× 🛱	+	? 🕼
Manage O View													
Aircraft	Reg # 👂 🕨	H370					Go				*	=	2 🌣
Aircraft Reg # MH370 Aircraft M	del # 8777-	333ER		P.	tfr. Serial # MH	370		Aircraft Status Active		Owners	hip Owned		
	Configu	ration Pr	ogram P	aram	eter Compl	iance							
MH370 B777-333ER		Part #	SNS001			S	erial # NN001		Component # (COMP-000187-2014			
ΝΟ ΔΤΔ													
ing and													
P01 SNS001 Flap acutator NN001 COM	≣વ	All N	ot Init. 3	Ini	t. Value Unknov	vn O							
P01 SNS001 Flap acutator NN001 COM P02 SNS002 Flap acutator NN002 COMP-000188	<u>=</u> Q	All N	ot Init. 3	Ini	t. Value Unknov	vn O							
P01 SNS001 Flap acutator NN001 COM P02 SNS002 Flap acutator NN002 COMP-000386 P03 SNS003 Flap acutator NN003 COMP-000389 P04 SNS904 Flap acutator NN003 COMP-000389	= Q	All N 1 - 3 / 3	ot Init. 3	Ini	t. Value Unknov	vn O			A	ree header	- sectic	n	þ
P01 SNS001 Flap acutator NN001 COM P02 SNS002 Flap acutator NN002 COMP-000186 P03 SNS003 Flap acutator NN003 COMP-000186 P04 SNS004 Flap acutator NN004 COMP-000196 D05 SNS004 Flap acutator NN004 COMP-000196	= Q 44 4 #	All N 1 - 3 / 3 Part #	ot Init. 3 ► ► == Serial #	Ini	t. Value Unknov Parameter	wn 0 <i>UOM</i>	Since New	As of Date & Time	A Since Overhaul	ree header	sectic	o <mark>n</mark> Date / Tin	D
PD1 SNS001 Flap acutator NN001 COM P02 SNS002 Flap acutator NN002 COMP-000186 P03 SNS003 Flap acutator NN003 COMP-000186 P04 SNS004 Flap acutator NN004 COMP-000186 P05 SNS005 Flap acutator NN004 COMP-000196 P05 SNS005 Flap acutator NN04 COMP-000196	■ Q 44 4 # E 1 E	All N 1 - 3 / 3 Part # SNS001	ot Init. 3	Ini	t. Value Unknov Parameter FC	vn 0 <i>UOM</i> CYC	Since New	As of Date & Time	A Since Overhaul	ree header	sectic	o <mark>n</mark> Date / Tin	D
P01 SNS001 Flap acutator NN001 COM P02 SNS002 Flap acutator NN002 COMP-000188 P03 SNS003 Flap acutator NN003 COMP-000189 P04 SNS004 Flap acutator NN004 COMP-000199 P05 SNS005 Flap acutator MSN-MH370-1 COMP		All N 1 - 3 / 3 Part # SNS001 SNS001	ot Init. 3	Ini O O	t. Value Unknov Parameter FC FH	VN 0 UOM CYC HRS	Since New	As of Date & Time 03-11-2016 09:00:00	A T Since Overhaul	ree header	sectic	o <mark>n</mark> Date / Tin) ne
P01 SNS001 Flap acutator NN001 COM P02 SNS002 Flap acutator NN002 COMP-000188 P03 SNS003 Flap acutator NN003 COMP-000189 P04 SNS004 Flap acutator NN004 COMP-000199 P05 SNS005 Flap acutator MSN-MH370-1 COMP	4 4 # 1 2 3	All N 1 - 3 / 3 Part # SNS001 SNS001 SNS001	ot Init. 3	Ini O O O	Parameter FC FH AMPS	vn 0 <i>UOM</i> CYC HRS	Since New	As of Date & Time 03-11-2016 09:00:00 01-08-2014 11:10:00	A 7 Since Overhaul	ree header	sectic	וו Date / Tin	P

When the user clicks on any node in the **Configuration** tree, the details of the exception filters will be updated for the selected sub-assembly and the following details will be displayed in the **Tree** header section.

- Part #
- Serial #
- Component #

Exhibit 4:

Parameter tab - Link section

Configuration Management > Technical Records > Manage Aircraft / Component Records															
Manage Aircraft / Component Records												⊐/\$. ?	Cø.
P04 SNS004 Plap acutator MN004 COMP-000190 P05 SNS005 Flap acutator MSN-MH370-1 COMP	#		Part #	Serial #		Parameter	UOM	Since New	As of Date & Time	Since Overhaul	Initialized Value	Initializ	ed Date ,	(Time	
	1		SNS001	NN001	0	FC	CYC	100.00							_
	2		SNS001	NN001	0		HRS	109.33	03-11-2016 09:00:00						
	E - V	<mark>dit Li</mark> Edit C iew L View	✓	& Range Para	amete	rs for Aircraft	eata hyp Edit Co View C	rerlinks	Link section ange Parameters for Composition ameter Value	ON nent E	idit Consumption & Ra	nge Paran	neters fo	r Part	Þ

The following links are available to the user for further processing of the parameters.

Data Hyperlinks

- PV icon link • This link launches the **Re-Initialize / Update Parameter Values** screen where the user can validate, re-initialize or update the parameters. Based on the context of the row on which the icon is clicked, (i.e.) aircraft / sub-assembly, an auto-search is performed while launching the link screen to retrieve all the parameters for the respective Maintenance Object
- Parameter link This link launches View Aircraft Parameter History screen or View Component
 Parameter History screen based on the context of the row (i.e.) Aircraft / Sub-assembly. For
 example when the Parameter link is clicked for a Sub-assembly, then View Component
 Parameter History screen will be launched.

Edit Links

- Edit Consumption and Range Parameters for Aircraft
- Edit Consumption and Range Parameters for Component
- Edit Consumption and Range Parameters for Part

View Links

- View Aircraft Parameter Value
- View Component Parameter Value
 - Note: This feature involves commercials and is not available for all customers. Please contact your Ramco Account Manager.

WHAT'S NEW IN CONFIGURATION MANAGEMENT?

Increase in the number of inheritable parameters to 50

Reference: AHBF-4837

Background

This enhancement brings improvements in **Identify Inheritable Parameters** screen of the **Aircraft** business component, which is launched as a link from the **Set Base Parameters** screen under the same business component. Currently, the system allows only 10 inheritable parameter values for aircraft and components. However, users would require additional inheritable parameter values for tracking in the newly purchased aircraft models.

Change Details

This enhancement allows definition of 40 additional inheritable parameters. Now, you can record values for a total number of 50 inheritable parameters in the system.

Exhibit 1: Identifies the changes in Identify Inheritable Parameters screen

D I	Identify Inheritable Parameters							
Pa	Parameter Details inherita		System allow	ws 50	Date Format dd-mm- yyyy			
44	4	- 10 / 50 🕨 🗰	\$ \$ \$	ĠŢŢ,				
#		Parameter Q	-	Parameter Description	ion			
1		APUC		APU Cycles				
2		APUH		APU Hours				
3		EC		Engine Cycles				
4		EH		Engine Hours				
5		FC		Flying Cycle				
6		FH		Flying Hour				
7		LNDG		Landing				

Exhibit 2:

The existing validation of preventing the user from adding more than 10 inheritable parameters is modified to handle a maximum of 50 inheritable parameters.

	Identify Inheritable Parameters							
	arame	eter Detail	5					
	4	1 - 10 / 5				ង២០ខ		
#		Parameter	Ramco Aviation Message		X			
1		APUC						
2		APUH	Unable to process. Cannot	define more than 50 parameters.	Close			
3		EC						
4	4 🗉 EH 💌							
5	5 🖥 FC							
6		FH		Flying Hour				
7		LNDG		Landing				

WHAT'S NEW IN ENGG CHANGE MANAGEMENT?

Ability to Collaborate in Maintenance Change Request, Process Change Request, Engineering Document, Engineering Service Request & Engineering Advice Note

Reference: AHBG-6450

Background

This enhancement brings improvements in 16 screens of the 4 business components namely, **Maintenance Change Request, Engineering Document, Engineering Service Request** and **Engineering Advice Note**. The screens are improvised to enable Collaboration based on the Reference Doc in context and also have the ability to search the Messages posted for the related upstream and downstream documents along with related entities. For example, when the user is working on a Process Change Request, any new message posting will be against the PCR # on which the user is working. Also, the user will be able to search the messages posted for the upstream (i.e.) MCR # & also downstream (i.e.) Eng. Doc # & the related entities, say Part #, etc.

Change Details

To enable the Collaboration feature a new **Smart Bar** is enabled in all the 16 screens. The Smart Bar launches a pop-up with the Collaboration icon. Clicking this icon launches the **Collaboration** screen where the user can post new messages and start collaborating.

The Collaboration feature is implemented in the following screens.

Maintenance Change Request

- Create Maintenance Change Request
- Edit Maintenance Change Request
- Revise Maintenance Change Request
- View Maintenance Change Request

Engineering Document

- Manage Engineering Order
- Initialize Eng. Doc Schedules
- Process Change Request
- Evaluate Change Request

Engineering Service Request

- Create Engineering Service Request
- Edit Engineering Service Request
- View Engineering Service Request

Engineering Advice Note

- Create Advice Note
- Associate Existing Advice Notes
- Edit Engineering Advice Note
- Revise Engineering Advice Note
- View Engineering Advice Note

We can consider a sample screen to understand the enhancement, say View Maintenance Change

Request screen.

The user can click on the Smart Bar icon in the screen toolbar. Kindly refer the screenshots. This launches the Collaborate icon. On clicking the Collaborate icon, the **Collaborate** screen is launched as a pop-up.

Exhibit 1:

Toolbar in View Maintenance Change Request screen

k 🗎 View Maintenance Change Request						
	Date Format yyyy-mm-dd					
MCR Identification Details	Tool Par					
MCR # / Rev. # AHBE-9915-8	Status Processed					
Subject INSPECT						
Doc. Issue Date 2014-01-24	Receipt Date 2014-01-24					
Eff. From Date	User Status					

Exhibit 2:

Toolbar in View Maintenance Change Request screen

		ズ 📰 🖶	11	÷	?	Ę
Date Format	уууу-mm-dd	Smart Bar				
Status	Processed					
Receipt Date User Status	2014-01-24					

Exhibit 3:

Click on the Collaborate icon in the Smart Bar

		:/\$		4	+	?	0
Date Format	уууу-mm-dd		×				
Status	Processed	E	Collaborate	e icon			
Receipt Date User Status	2014-01-24						

Exhibit 4:

Collaborate screen launched as a pop-up from View Maintenance Change Request screen

Col	aborate				🖶 🗘 😳 🗙		
Maint	enance Change Request: AP	18E-9915-8			+ Add Post		
+	Filter Post					-	
Post	s	Reference Doc. #	Show	🗐 Flagged Posts 🗹 My Topics 🗹 Related To	pics 🔄 Actionable Items		1-1-1
	For verifying the Change Re	equest based on Committee inputs					
	By Dmuser 25 Hours Age	o 1 Replies	F	11	CollabVerify × 余 5 則		
	Eng. Doc to be included						
	By Dmuser 1 Week Ago	1 Replies	1	11	CollabVerify × 。参 ヵ 則		
	PCR # PCR-000030-2015 to	o be reviewed again.					
		Lo Desheel	1.00	64	Callabitache vi di ta III		

The Reference Doc. *#* is displayed as shown above. Any new posts created using the 'Add Post' button will be tagged under the mentioned Reference Doc. *#*. Also for an MCR, there can be 2 downstream documents such as Process Change Request and Eng. Doc. When such a valid document is available, the Ref. Doc. combo is loaded with the details of these documents. This is to facilitate the user to search for the messages related to these upstream & downstream documents

Exhibit 5:

Ref. Doc. combo with details of upstream and downstream documents

Collaborate					-	4	?	6	x
Maintenance Change Request: / Filter Post Search By	AHBE-9915-8	Upstream & Downstream Ref. Doc #'s loaded	Ref Doc Ref Entity	Engineering Order Maintenance Change Req Process Change Request			+ Add	Post	

When the user selects any Ref. Doc #, say for example 'Engineering Order', then the system loads the

combo with the Eng. Doc # (EO-000008-2011, in our case) which was created using the MCR # (AHBE-

9915-8, in our case) on which the user is working. With this, the user can search for the posts created

against the Engineering Document.

Note: In scenarios where an MCR has only PCR but an Eng. Doc is not yet created, then the 'Ref. Doc. #' will be loaded with 'Maintenance Change Request' and 'Process Change Request' only. The 'Ref. Doc. #' combo will not be loaded with 'Engineering Order'

Exhibit 6:

Selection of a Ref. Doc.

The details of the screen-wise 'Ref. Doc. #' & the 'Ref. Entity' is given below for reference.

Collaborate				? 💽 X
Maintenance Change Request: AHBE-9915-8	Paf Das selection			+ Add Post
Search By From Date	Ref. Doc selection	Ref Doc Engineering Order	▼ EO-000008-2011	•
	Search	Entity	Ŧ	T

Business Component: Engineering Advice Note

- 1. <u>Create Advice Note</u>
 - a. Ref. Doc. #
 - i. Engineering Advice Note
 - ii. Engineering Service Request

- b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
- 2. Associate Existing Advice Notes
 - a. Ref. Doc. #
 - i. Engineering Advice Note
 - ii. Engineering Service Request
 - iii. Work Order
 - b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
 - iv. Task #
 - v. Work Center #
- 3. Edit Engg. Advice Note
 - a. Ref. Doc. #
 - i. Engineering Advice Note
 - ii. Engineering Service Request
 - b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
- 4. <u>Revise Engg Advice Note</u>
 - a. Ref. Doc. #
 - i. Engineering Advice Note
 - ii. Engineering Service Request
 - b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #

5. <u>View Engg. Advice Note</u>

- a. Ref. Doc. #
 - i. Engineering Advice Note
 - ii. Engineering Service Request
- b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component
 - iii. Part #

Business Component: Engineering Service Request

- 1. <u>Create Engg. Service Request</u>
 - a. Ref. Doc. #
 - i. Engineering Advice Note
 - ii. Engineering Service Request
 - iii. Work Order
 - b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
 - iv. Task #
 - v. Work Center #
- 2. Edit Engg. Service Request
 - a. Ref. Doc. #
 - i. Engineering Advice Note
 - ii. Engineering Service Request
 - iii. Work Order
 - b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
 - iv. Task #
 - v. Work Center #
- 3. View Engg. Service Request
 - a. Ref. Doc. #

- i. Engineering Advice Note
- ii. Engineering Service Request
- iii. Work Order
- b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
 - iv. Task #
 - v. Work Center #

Business Component: Engineering Document

- 1. Manage Engineering Order
 - a. Ref. Doc. #
 - i. Maintenance Change Request
 - ii. Process Change Request
 - iii. Engineering Order
 - b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
 - iv. Task #
- 2. Initialize Eng. Doc Schedules
 - a. Ref. Doc. #
 - i. Maintenance Change Request
 - ii. Process Change Request
 - iii. Engineering Order
 - b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
 - iv. Task #
- 3. Process Change Request
 - a. Ref. Doc. #
 - i. Maintenance Change Request

- ii. Process Change Request
- iii. Engineering Order
- b. Ref. Entity
 - i. Aircraft Reg. #
 - ii. Component #
 - iii. Part #
- 4. Evaluate Change Request
 - a. Ref. Doc. #
 - i. Maintenance Change Request
 - ii. Process Change Request
 - iii. Engineering Order

Business Component: Maintenance Change Request

- 1. <u>Create Maintenance Change Request</u>
 - a. Ref. Doc. #
 - i. Maintenance Change Request
 - ii. Process Change Request
 - iii. Engineering Order
- 2. Edit Maintenance Change Request
 - a. Ref. Doc. #
 - i. Maintenance Change Request
 - ii. Process Change Request
 - iii. Engineering Order
- 3. <u>Revise Maintenance Change Request</u>
 - a. Ref. Doc. #
 - i. Maintenance Change Request
 - ii. Process Change Request
 - iii. Engineering Order
- 4. View Maintenance Change Request
 - a. Ref. Doc. #
 - i. Maintenance Change Request
 - ii. Process Change Request
 - iii. Engineering Order
 - Note: This feature involves commercials and is not available for all customers. Please contact your Ramco Account Manager.

WHAT'S NEW IN AIRCRAFT MAINTENANCE EXECUTION?

Dual Authentication during Modification of Exe. Comments

Reference: AHBG-7333

Background

Aircraft Maintenance Execution in Ramco is recently enhanced to have additional authentication of the user credentials during Task sign-offs. With this feature, Mechanics and Inspectors were enforced to enter their Login Password or PIN while performing Task sign-off. As sign-off of a task is a critical step which is subject to regulatory procedures, addition / modification of Execution Comments of Task after sign-off is highly controlled.

Business need is to have a provision to have additional authentication on the addition of new Execution Comments (or modification of existing Execution Comments) post sign-off.

Change Details

A new set option "Revert Sign-off while recording new Execution Comments for a Signed-Off Task?" is added in the **Define Process Entities** activity under the Entity Type "Package Type". This option will be available for all the entities defined under this entity type.

- If this option is set as "Yes", system will revert the Sign-off status to pending on addition of new Execution Comments for a task which is already signed-off (i.e. Sign-off Status is 'Signed-off').
- If this option is set as "No", system will retain the Sign-off status on addition of Execution Comments for a task which is already Signed-off. This is the existing functionality.

As sign-off status gets reset, it is required for the mechanic/inspector to perform sign-off again, during when the user will be re-authenticated (as per the existing dual authentication capability as displayed below).

Exhibit 1: Dual Authentication popup

Record Aircraft Maintenance E Exe. Details Aircraft Reg # V+566 Open Items Scarch Options: Log Cards Minor	Go Go Maj	on Details Station AIR INDU Work Information jor Search b	User Authentication Employee # Emp. Name	등 다 ? 대 00041383 dsenechal		Sign Off status is reset automatically when new comments are
Ned Steps	181	Work Information Task # - Tracking # - NST-005537-2016 Task Type ACR Task Description	Login Password PIN Auth	enticate Execution Comments	n-Off Status Inding Mech&Insp Charafication TINE	HS ES NR.
Important Dates Initia Initia Check Part Availability Bulk Naterial Request Create Engs_Service Request Record Part Consumption & Return		Visual Inspection Edit Task Additional In Record Parameter Rea View Task Dates & Ref View Documents	formation Author ding / Cond. Eval. Form View Grences View Reco	Minor Crack Observed wr Repair Procedure Comments Information AMM Reference d Part Consumption & Return	Perform C View Task Upload Ce Generate	User Authentication popup is shown when user tries to sign off again after it was reset

Another option "Allow Exe. Comments modification after Task Sign-Off?" is added in the **Define Process Entities** activity under the Entity Type "Package Type".

- If this option is set as "Yes", system will allow modification of existing Execution Comments even for a task which is already signed-off (i.e. Sign-off Status is 'Signed-off'). This is the existing functionality.
- If this option is set as "No", system will restrict modification of existing Execution Comments for a task which is already signed-off (i.e. Sign-off Status is 'Signed-off'). User has to manually remove existing sign off information and then modify the execution comments and perform sign-off again, during which the user will be authenticated.

Note: Modification of Corrective Action is not allowed if the Discrepancy is already Signed-Off (i.e. Sign-off Status is Signed-Off). This is an existing behaviour and is not controlled by any set option.

Note: This feature involves commercials and is not available for all customers. Please contact your Ramco Account Manager.

WHAT'S NEW IN IN AIRCRAFT / SHOP WORK MANAGEMENT?

Ability to Display Customer Name in Work Monitoring and Control screen

Reference: AHBG-7978

Background

Commercial personnel often visit Manage Work Assignment and Reporting screen to review the work status of each project. But customer details like Customer Name and Customer Order # of the respective aircraft or components in work centers which are vital information for the project analysis, are not displayed in Manage Work Assignment and Reporting screen. To meet this requirement, Customer Order # and Customer Name fields are added in the Review Work multiline.

Change Details

In **Manage Work Assignment and Reporting** screen, new columns 'Customer Name' and 'Customer Order #' have been added in **Review Work** multiline. Also, to aid the search of a Package or Shop Work Order for a customer, new values 'Customer order #', 'Customer Name' and 'Customer #' have been added in 'Search On' drop-down.

Exhibit 1: 'Customer Order #', 'Customer Name' and 'Customer #' values in 'Search On' drop-down

* 🔋 Manage Work Assignments and Re	eporting				저 늘 다	+
- Search Criteria			Date & Time	e Format yyyy/mm/dd	hh:mm:ss	
Maintenance Obje Ref. Doc. T	ect Aircraft Reg #	▼ ▼	Primary Work Re	Center # 2f. Doc. #	V	
Additional Search Criteria						_
Display Option Search On	All Customer Order # Tack #		Date From / To Status	2016/12/05 00:00:00	 2017/03/05 00:00:00 	*
0820.000	Task Desc. Exe. Phase User Status	Search				
Task # Seq #	Eng Doc # On-wing Component Change	A Task Description % Complete Task Status	03-Feb 00 01 02 03 04 05 06 07 08 09 10 11	-2017 12 13 14 15 16 17 18	19 20 21 22 23 00 01 02 03	3 04
Г	Zone Work Area					
	Customer Name Customer #					

User can search a Package or Shop Work Order created for a Customer, by invoking Search after providing 'Customer Name', 'Customer #' or 'Customer Order #' in 'Search On' field.

Exhibit 2: 'Customer Order #' and 'Customer Name' columns in Review Work multiline

*	t 📋 Manage Work Assignments	and Report	ing								:	74 i	ţ	+
	Search Criteria								Date & Time	Format yyyy/mm/dd		hh:mr	n:ss	
	Review Work Manage Employee Work	nce Object C	omponent #	v					Primary Work (Re	Center #	V			
ł	Additional Search Criteria Display Se	Option All arch On Custor	ner Name	▼ ▼ customer 3	9	Search	Custo and (Nam	omer Order # Customer e fields are	te From / To Status	2016/09/08 00:00:00		/31 00:00):00	
	086634	1 9				1								
	Task #	Task Desc	% Complete	Part #	Customer Order #	Cus	tomer Na	00 01 02 03 04 05 06 0	07-Dec 7 08 09 10 11	-2016 12 13 14 15 16 17 18	19 20 21 22	23 00 01	L 02 03	3 04
	- yul-100-05													
	E 1200046223	test	0%	0-1000PSI:6104	CO-008245-2016	Cust	omer 39			0%				
	NST-005181-2016	dfgf	0%	0-1000PSI:6104						0%				
	E- VUL-140-05		0%											
	🖃 🗖 CWO-000002-2011	GI-000022-2011	0%	0212KTU13:K08	CO-000003-2011	Cust	omer 39							
	NST-005360-2017	mechanic	0%	0212KTU13:K08										

The user can view the Customer Order # and Customer Name if a Package or Shop Work Order has reference to the Customer Order #. If the user invokes the search to view the work status of a Package or Shop Work Order, Customer Name and Customer Order # will be defaulted against Package # and Shop Work Order #.

What's new in Work Reporting Hub?

Work Reporting Hub for Aircraft Maintenance Execution

Reference: AHBG-11247

Background

Mechanics, Inspectors, Aircraft Maintenance Engineers and Technical Records Personnel use the **Record Aircraft Maintenance Execution Details** screen to report work performed on an Aircraft. The user can select a Task/Discrepancy and report work on the same, create new Package, record one or more Discrepancies, Defer Discrepancies, Signoff against the work performed, Add Execution Comments for Tasks, Add Corrective Actions for Discrepancies, Record Component Removal, Request Parts, etc.

The new screen **Work Reporting Hub** retains all the functionalities of the **Record Aircraft Maintenance Execution Details** screen and allows bulk actions as well. With a fresh, clean interface that is easy to navigate, performing maintenance activities has never been easier. Whether it is to see a Package Info quickly or perform repair Tasks under a Discrepancy or raise a Material Request or just track pending work items, the Hub will get the job done in just a few clicks. Critical actions can be performed in a single screen without the need of jumping between different screens which enables the Mechanic and Inspector to save more time amidst their busy schedule.

Change Details

A new activity is available under:

Aircraft/Shop Work Management \rightarrow Aircraft Execution Hub \rightarrow Work Reporting Hub

Exhibit – 1:

				Ļ	*	1	DW	1
Maintenance Planning	>							
Engineering Change Management	2							
Discrepancy Management	>							
Aircraft Maintenance	>							
Aircraft/Shop Work Management		Aircraft Execution Hub			Work R	eportin	g Hub	
Flight Operations	>	Work Monitoring and Control	>		Parts H	ub		

Activity Location

On Page Launch, user is given the choice between creating a new Package # and directly jumping into an existing Package #. You can use the radio button provided in the top left corner of the page so set your intention.

Create a Package

To create a new Package, follow the below steps:

1. Click on the 'Create' radio button.

Exhibit – 2:

I want to Create



- 2. Select a Package Type.
- 3. Type in the Aircraft Reg. # for which the Package is to be created.
- 4. Click on the 'Go' button or just press the Enter key to go to the *Create Mode*.

Exhibit – 3:

\star 🏢 Work Re	eporting Hub																											¢ ⊊	i +	?	
I want to Create	Work Visit Pack	age	Ŧ	for A	A/C R	teg #	٩	JS-102	2		Go																				
Not Generated Pending Creation	Package Visit Paci	Type kage			A J	Vircraft S-102	Reg																								
	Work Center # Category	185-2 2-Wa	20 irranty			-							l	Log Ri Pri	ef. # iority NF	RM			Ŧ			P	anned S C	Start / Descrij	/ End			Ē			Ē
	Journey Log # P	•	Т	ask 🛛	Dis	screpa	incy/	Finding	ps			:	Starting !	Statio	n P					 	 	Fl	ight # /	Leg	# P						+
				4	Error	[N	lo rea	ords to	o displa	ay]) # 0	•	÷	- (3 1	A T T	τ.	人间	10 Ev	x (xi C	9 (I	All		54	ource Ta	▼	ren d	0			
			1		2.707			boq	1 dan						Compo									•	unce no	ing brise	- cpr -	-			
															<													>			

Create Mode

- 5. Select Work Center # and provide other necessary information.
- 6. (Optional) Add Tasks/Discrepancies in the multiline. You can also use the Due List.
- 7. Scroll down and click on the 'Create Package' button.

System will create a new Package # and directly launch this package in Work Mode.

You can also pick Tasks and Discrepancies from the Due List during creation of the Package. To do so, click on the Due Items link provided in the top right corner of the page.

Exhibit – 4:

Due Items popup

	ns											
		Object # js-101		FH 4.10				FC 4.00		Exe. D	oc. # VP-00139	7-2016
Search	Criteri	a count for						T-l- # (Di			
		Search For		chu		Duardua	Z Due Alert 🗷 D	Task # /	Discrepancy # / Descript	ion / Type / ATA	#	
Advan	ced Sea	rch Criteria		Shu	w: 💌 (Dverdue	Due-Alert V D	ue-others				
		Due In Days 🔻			Rem	aining Value		From	То			
		Job Type Aircraft 💌				Search On		Ŧ				
						Se	earch					
earch	Result	s										
Se	lected	E Scheduled	As Required	Deferred		Pendina						
) "	loctou	5 Tasks 2	Tasks 0	Discreps.	1	Discreps.						
-	_											
	1	-5/5 • •• T Tx	-		1		<u>با</u> حر	5 x k i t	IIA III 🖷 🗏	1	•	Q
	Due	Task / Discrep #	Description	ATA #	Туре	Job	EO #	Part #	Serial #	Rem. FH	Rem. FC	Rem. Days
	•	NITROGEN SERVICE	Nitrogen Service	00-00	MPD	Aircraft					4.00	-46D
		EO 000EE4 0046 AE	Test	05-00	MOD	Aircraft	EO-000551-2016			10.00		-57D
	٠	EU-000551-2016-AE								0.00	0.00	
	•	EO-000551-2016-AE 1101-T3	1101-T3	05-00	MPD	Aircraft						
	•	EU-000551-2016-AE 1101-T3 1101-T1	1101-T3 1101-T1	05-00	MPD MPD	Aircraft				5.00		110

You can search for Task # / Discrepancy # / Type / ATA # in the Global Search that is provided. Pick one

or multiple Scheduled Tasks, As Required Tasks and Deferred.

Discrepancies and Pending Discrepancies and click Ok to add to the Task/Discrepancy multiline in the Work Reporting Hub.

Canal Cana

Note: If you select one more item(s) under one group and switch over to another group, you can go to the first 'Selected' group to see all the items you have picked. Remember to select the items before clicking Ok.

Work on a Package

If you already have Package # to work on, follow the below steps:

- 1. Launch the Work Reporting Hub page.
- 2. Click on the 'Work' radio button.

Exhibit – 5:

I want to Work

≡		II	* 🖻		Default	Themes 👻 🗃 Search	Quick Code	⇒ R	Data Migr amco Role	ation User - RAMCO OU	; -
News :	Welcome to Ramco A	viation Solutions R	lease 5.7								
☆ > Aircraft/Sl	nop Work Management 🗦 Work Repo	orting Hub > Wor	Reportin	g Hub	^						
★ 🗎 Work	Reporting Hub						≣ x;		s ← 1	? 🗔 🖪	
I want to 🔿 Creat	Work on Aircraft Maint. Exe. #	▼ VP-001379-2016		p Go							

- 3. Select 'Aircraft Maint. Exe. #'.
- 4. Enter the Package # (or) Take help on Package # and select one.
- 5. Click on the 'Go' button or just press the Enter key.

System will launch the package in Work Mode as shown in Exhibit – 6.

The Work Mode is divided into 4 major sections:

- 1. Context Section.
- 2. Document Info section.
- 3. Tree section.
- 4. Task and Discrepancy Tabs section.

The Context section is the black bar at the top. It shows the context information of the current Package.

The Document Info section is the Card Carousel section. It shows all the Package level information as a set of scrollable cards (collapsing of the cards section will be supported in a future software update). The tree section is available in the left of the page. It is always visible and provides an anchor point for the whole hub displaying the Tasks and Discrepancies in the Package. Finally, we have the Task and Discrepancy tabs with their own multiline.

Exhibit – 6:

Work Mode



Context

Package info is available in the Context section (black background).

The following info are shown:

- 1. Package #.
- 2. Package Status.
- 3. Package Type.

- 4. Aircraft Reg. #.
- 5. Work Center #.
- 6. Customer Name (if Aircraft is customer aircraft).

Apart from these, Action Items are also shown:

1. Package Action

Shows next possible Package Status. Click to change Package status. If Package is in *Planned* status, it will show *Cancel* option. If Package is in *In-Progress* status, it will show *Complete* option. If Package is in *Completed* status, it will show *Close* option.

2. Due Items.

The Due Items link icon is colour coded. If there is at least one item in the Due List that is overdue, the Due Items link icon will be in 'Red' colour. Or if there are no overdue items but there is at least one alert item, the Due Items link icon will be in 'Orange' colour. If there are no Overdue or Alert items, the Due Items link icon will be in 'Grey' colour. Click on the Due Items link to launch the Due Items popup.

3. Maint. Events.

The Maint. Events link icon is colour-coded. If there is one item in Maintenance Events that was already added to the Package, the Maint. Events link icon will be in 'Green' colour. If not, the link icon will be in 'Grey' colour. Click on Maint. Events link to launch the Manage Maintenance Events popup.

Exhibit – 7:

Manage Maintenance Events popup

Aircraft Reg. # js-101					Exe. Doc. # VP-001397-2016		
#		RS	Maint. Event #	Event Description	Task Count	Status	Added?
1			BIRDHIT	Bird Hit	2		No
2		•	BELLY LANDING	Belly Landing	2	In-Progress	Yes
		-	Add	Remove	Complete		

You can see a list of all applicable Maintenance Events that are available for the current Aircraft Reg. #. Select a Maintenance Event and click on 'Add' button to add the set of Tasks to the current package. Or you can also click on 'Complete' button which will not only add the Tasks but also Complete them in one click provided signoff is not required for the Tasks. 'Remove' button is provided to revert any Maintenance Events that are already added but not started.

4. Quick Links.

Click on the Quick Links for a callout showing all possible links that can be launched from the Work Reporting Hub at the Package level.

5. Print.

Clicking on the Print button will perform Package Print for the whole Package. If a couple of Tasks or Discrepancies are already selected prior to click of the button, only those Tasks or Discrepancies will be printed.

Document Info

The Document Info section displays a carousel section of a set of cards that displays Package level information. Following are the possible cards:

1. Customer Info

This card will be visible only if the current aircraft is a Customer Aircraft. It displays Customer #, Customer Order #, Contract # and Promised Delivery Date. It also shows a countdown to the Promised Delivery Date in the bottom right of the card (if available).

2. Object Info

This card will display Aircraft Model #, Aircraft MSN #, Last Journey Log #, Next Due Item. It also shows a warning in the bottom right of the card if there is any Overdue or Alert Item.

3. Important Dates

This card will display Hangar-In Date, Hangar-Out Date and Proj. Completion Date. It also shows a countdown to the Proj. Completion Date in the bottom right of the card.

4. Package Dates

This card will display Planned Start Date, Actual Start Date, Planned End Date and Actual End Date at the Package level. It also shows delay information in the bottom right of the card if there's a discrepancy between the Planned and Actual Dates.

5. Reference Info

This card will display Log Ref. #, Station, Exe. Category and CAPEX Proposal #. It also shows the Priority of the Package in the bottom right of the card.

6. Material Info (Pending/Total)

This card will display the Pending/Total counts of Material Requests, Issued, Component Replacements and Returns. It also shows a warning if requested parts are not available in the bottom right of the card.

7. Flight Info

This card will be visible only if a Journey Log # exists against the Package. It will display Journey Log #, Flight #, Leg #, Starting Station and Actual Arrival Date. It also shows delay information in the bottom right of the card if the Actual Arrival Date is later than Scheduled Arrival Date.

Note: Scheduled Arrival Date and Actual Arrival Date are taken from the Package and not from the Journey Log #. You can edit these dates in the eLog section of the MechanicAnywhere app.

8. Cost Info

This card will display the Estimated/Actual Costs of Labour, Material, Facility and Additional. It will also show the total Estimated/Actual Costs in the bottom right of the card.

9. Parameter Info

This card will display 4 last updated parameters of the aircraft. It will also show the last updated date and time in the bottom right of the card.

10. Work Progress

This card will display the Open/Total counts of all the Tasks and Discrepancies in the current Package. It will also show a percentage count in the bottom right of the card which is just a sum of Tasks/Discrepancies completed to the Total Tasks/Discrepancies. The card also shows the Total Estimated Man Hours and Actual Man Hours.

Tree

The tree shows all the Task and Discrepancies in the current Package. Clicking on a Task # or Discrepancy # from the tree will apply the filter for that Task/Discrepancy in the Task/Discrepancy multiline.

The Task items in the tree are colour coded:

Red – On Hold.

Black – Planned.

- Orange Inprogress.
- Green Completed/Closed/Incomplete/Preclosed.
- Grey Cancelled/Duplicate.

The Discrepancy items in the tree are colour coded:

- Red On Hold.
- Black UnderResolution with no work recorded.
- Orange UnderResolution with work already recorded.
- Green Closed/Deferred/Transferred.
- Grey Cancelled.

The tree displays the information in 4 folders:

1. Tasks

All the Tasks in the current Package that do not fall under an Engineering Order or a Maintenance Event will show up here.

2. Discrepancies

All the Discrepancies that are in the current Package will show up here.

3. Engineering Orders

All the Tasks in the current Package that are from an Engineering Order will show up here with the Engineering Order # as the parent folder.
4. Maintenance Events.

All the Tasks in the current Package that are from a Maintenance Event will show up here with the Maintenance Event # as the parent folder.

Note: Click on Toggle View button to maximize the tree. Clicking again will restore the tree to its original size.

Task and Discrepancy Tabs

The Task and Discrepancy multiline allow the user to report work on Tasks and Discrepancies directly on the multiline. Bulk actions are also supported.

The search above the multiline is provided with 3 different options:

- 1. Status
- 2. Exception
- 3. Search

Status View shows 5 tiles, that shows the count of the items in the multiline in various status. Exception View shows another set of 5 tiles that shows the count of the items in the multiline in various exceptions. Search has the traditional Search Criteria and Advanced Search Criteria.

Note: Status/Exception/Search are all exclusive of each other. You cannot combine the filters. Toggling between them will reset the search filter applied by the previous filter.

A Simple/Detail toggle is available above the multiline. The simple view hides a couple of Display Only columns so the important columns are easily accessible.

Error column is available in the multiline to highlight the records that are in error. You can use this info to identify the error records to clear them by using the newly added Message Center (last column).

WS column available in the multiline shows a colour coded circle to identify the Work Status of the record. Colour coding is explained below (same as the tree).

For Tasks:

Red – On Hold.

Black – Planned.

Orange – Inprogress.

Green - Completed/Closed/Incomplete/Preclosed.

Grey – Cancelled/Duplicate.

For Discrepancies:

Red – On Hold.
Black – UnderResolution with no work recorded.
Orange – UnderResolution with work already recorded.
Green – Closed/Deferred/Transferred.
Grey – Cancelled.

You can select one or multiple items from the Task/Discrepancy multiline and click on the Start Clock button provided under the multiline. Doing so starts the clock for those items. The clock status is shown in the CS column in the multiline. Similarly, you can also Stop and Reset Clock for multiple items.

Alternatively, you can also click on the Clock icon available under the CS column in the multiline to toggle the clock for that specific record.

If you want to change status for multiple records in the multiline, instead of manually changing the status in the multiline, you can select the required items and use the provided 'Quick Status Combo' button (near the 'Save' button). Clicking on the combo button provides you with multiple status options, selecting one of which will push the selected items to that status.

Report a Discrepancy

To report a Discrepancy against an item, just select that item first in the Task/Discrepancy multiline and then click on the 'Report Discrepancy' button provided under the multiline.

75 | Enhancement Notification

ramco

Exhibit – 8:

anage Discrepancy					a t ; 🗅 🗙
Source Task/Discrep. # Type Reported By	1101-T4 MIREP •	Source Desc. Log Item # Reported Date	1101-T4	ATA # 🔎 Reported Time	
+-More Info		Create Dis	crepancy		

Report Discrepancy popup

Provide the required information such as the Discrepancy Description, Type, ATA # and then click on the

'Create Discrepancy' button to quickly create the Discrepancy without even having to visit the Discrepancy tab.

Alternatively, you can always visit the Discrepancy tab, manually mention the Source Task # / Discrepancy # and then report the Discrepancy.

Caning

Note: You can also Signoff, Closed/Defer the Discrepancy during creation with the Report Discrepancy popup. Just expand the 'Action' section for the required controls.

Act on a Task

To report work on a Task, you can update the information in the multiline and click on the 'Save' button. Alternatively, you can also use the newly provided Task Action popup.



Exhibit – 9:

Task Action popup

T			5		_ ,
Task # 1101-14			Description 1101-T4		
Status In-Progr	ess 🔻				
-Actual Date & Time					
	Start 2016-20-05	17:53:10 🛗		End	
-Execution Comments					
	New Comments			Add	
< < 1 - 1 / 1 > >>					
🗧 🖹 Exe. Comment				Added By	Signoff Date & Time
Inspection Inprogre	55			Ramco, Dmuser	2016-20-05 18:58:16
- Sign Off					
- Sign Off I Off Requirement		٩			
- Sign Off Off Requirement Mechanic Inspector		م م			
- Sign Off off Requirement Mechanic Inspector RII		۵ ۵			

You can do the following things in the Task Action popup:

- Change Task Status.
- Update Actual Start Date & Time.
- Update Actual End Date & Time.
- Add New Execution Comments.
- Edit/View/Delete Existing Execution Comments.
- Modify Signoff Requirement.
- Signoff.
- Do the above in any combination.

Act on a Discrepancy

To report work on a Discrepancy, you can update the information in the multiline and click on the 'Save' button or use the newly provided Discrepancy Action popup.



Exhibit – 10:

Discrepancy Action popup

Discrepancy Actions	
iscrepancy # 101/1/1 Description Damage und Corrective Action Status Change	Jer the wing
Corrective Actions +	Corrective Action Corrective Action Applied resin for curing over the damage.
Start 2016-09-06 19:07:50 (1)	End
Close Discrepancy 🔲 Sign Off 🥅	Save

Click on a Corrective Action from the left pane to view the Corrective Action, Signoff Requirement and Signoff Details in the right pane, which you can edit. To add new, click on the "+" icon provided in the left pane.

Similar to the Task Action popup, you can do the following actions against a Discrepancy:

- Change Discrepancy Status.
- Update Actual Start Date & Time.
- Update Actual End Date & Time.
- Add New Corrective Action.
- Edit/View Existing Corrective Action.
- Modify Signoff Requirement.
- Signoff against a Corrective Action.
- Do the above in any combination.

Apply Hold

To Apply Hold on an item(s), select the item(s) and click on the 'Apply Hold' button provided under the multiline.

Exhibit – 11:

Apply Hold popup

Apply Hold	e.	₽	?	[ø	x
Hold code	Missing documents 🔹				
Hold Comments	Documents necessary for the inspection is not available at the Work Center.				
	Apply Hold				

Select a Hold Code, provide Hold Comments and click on Apply Hold.

Release Hold

To Release Hold on an item(s), select the item(s) and click on the 'Release Hold' button provided under the multiline.

Exhibit – 12:

Release Hold popup

ele	ase H	lold		≣ ⊄ ? ⊑ 0				
#		Task # / Discrep. #	Hold Code	Hold Comment				
1	V	1101-T4	Wait equipment	Equipment required for the test is				
2		1101-T5	Missing documents	Documents necessary for the				
		Comments	Equipment available.	Release Hold				

Select an item that is on hold, provide Release Comments and click on the 'Release Hold' button.

Change Part

To perform Component Replacement, click on the Change Parts link provided below the Task or Discrepancy multiline. This opens the **Record Aircraft Maintenance Execution Details** page with the Package # already loaded.

Select the Task or Discrepancy from the tree, open the Component Replacement tab and perform the replacement. Once completed, click on the back button to go back to the Work Reporting Hub.

CHINE

Note: Bulk Component Replacement feature will be available in the Parts Hub as part of a future software update.

Request Part

To request parts for a Task/Discrepancy, select the item and click on the Request Part link provided below the multiline. This opens the **Parts Hub** page.

Exhibit – 13:

Parts Hub

*	0.	Par	rts H	ub													= ㅈ = 다	+	? 🗔
Exe. I	earcı Doc. ;	ח #2	VP-00	1397-2	016		Search For			Task # / Type / De	scription / ATA #	Search							
VP-00 In-Pr	1397 ogress	-2016	5	Ta: Al	sk / Discrep). #	Туре		Status		Description								
Р	art E	stim	nates ,	/ Req	uest														
:=	! 6	Q ALL			5 Ma	aterial No ailable	ot 1 Need Date Crossed	0 Pe Au	nding Part thorization	0 Pending New Part Creation							View : 🖲 Simple 🔘 D	vetail	
4	•	1	1 -	6/6	• •	+ -	- 🛛 🛠 T T.				⊾ ∎ ≣ ≍		e = =	III AII			م 🔻		
#	1		Error	MS	Check Avl	AVL	Source Task/Discrep. # 🔎	Tracking #	Part # 🔎	Required Qty	Qty. Available	UOM	Priority	Stock Statu	s Warehous	e #	Part Description		
1				•	ē.	Yes	NST-004563-2016	1	:35895		318.00	EA	Aircraft on gro	Accepted	0123	~	EXPRESS U.S.RATE SH EET		
2				•	ē.	No	NST-004563-2016	1	12398-A	1.00	0.00	EA	*	Accepted	YULCS	~	MASGST		
3				•	e.	No	NST-004563-2016	1	alt-1	1.00	0.00	EA	Aircraft on gro	Accepted	0123	~	Engine Cowling		
4				•	e.	No	NST-004563-2016	1	PBH-7	1.00	0.00	EA	Normal 🗸	Accepted	0123	~	PBH Parts		
5				•	e.	No	NST-004563-2016	1	161T0000-	2.00	0.0	.00	Normal 🗸	Customer Ov	/n 0123	~	MAIN LANDING R/H GEAR		
6				•	e .	No	NST-004563-2016	1	171-L1	2.00	0.00	EA	Normal 🗸	Accepted	0123	~	VALVE POTABLEH20		
7													~		•	~			
												<					>		
									Save	Request	Cancel 💌					Link	s	•	

The Parts Hub can be launched either from the left pane at Aircraft/Shop Work Management \rightarrow Aircraft Execution Hub \rightarrow Parts Hub or as a link from the Work Reporting Hub. To launch from the Work Reporting Hub, click on the Request Part link provided under the Task or Discrepancy multiline. If no Tasks or Discrepancies are selected in the multiline prior to the link click, the Parts Hub will open with the Package # as context and shows Parts Estimates and Requests available for all the Tasks and Discrepancies in the current Package. If one or more Tasks or Discrepancies are selected in the multiline prior to the link launch, the Parts Hub will show Parts Estimates and Requests available for those Tasks and Discrepancies only. Note that you can reset the filter anytime in the Parts Hub.

Provide an Exe. Doc. # in the top left corner of the page to view all Part Estimates and Requests done against the Package. You can also use the Global Search provided to search with the following:

- Task # / Description #.
- Type.
- Description.
- ATA.

The Task / Discrep. # combo shows all the Tasks & Discrepancies that match the Search Criteria. You can either leave it at 'All' or select a specific Task. When a Task is selected, the Task Type, Status and Description is shown beside it and all the Part Estimates and Requests done against that specific Task in that Package is shown in the multiline.

You can raise Material Requests in the provided multiline. Similar to the Plan Material page, you can view existing requests and raise new requests.

The search above the multiline is provided with 3 different options:

- Status.
- Exception.
- Search.

Status View shows 5 tiles, that shows the count of the items in the multiline in various status. Exception View shows another set of 5 tiles that shows the count of the items in the multiline in various exceptions. Search has the traditional Search Criteria and Advanced Search Criteria.

Note: Status/Exception/Search are all exclusive of each other. You cannot combine the filters. Toggling between them will reset the search filter applied by the previous filter.

A Simple/Detail toggle is available above the multiline. The simple view hides a couple of Display Only columns so the important columns are easily accessible.

Error column is available in the multiline to highlight the records that are in error. You can use this info to identify the error records to clear them by using the newly added Message Center (last column). MS column available in the multiline shows a color coded circle to identify the MR Status of the record. Color coding is explained below.

For Tasks:

- Orange Pending Requests, i.e., Material Request # is not yet generated.
- Green Requested but not yet Issued.
- Grey Issued/Short Closed.

You can select a few records and choose the 'Check Part Availability' option available in the Combo Button provided below the multiline. A record level Check Part Availability button is also provided in the multiline so it can be done for a single record in one click.

To Cancel a Pending Request record or Short Close a Material Request, select the records from the multiline and click on the Combo button for the options.

Links to other pages are available in the Quick Links combo. Just select a link from the combo to launch the relevant page.

Subtasks Sign Off

To perform Subtask Sign Off for a Task/Discrepancy, select the record from the multiline and click on the Subtasks Sign Off link provided below the multiline. This opens the **Bulk Sign Off** page with the Package # and Task # already loaded.

You can see all the Subtasks in the multiline. Perform Sign Off by providing Mechanic / Inspector employee code against the Subtasks. Once completed, click on the back button to go back to the Work Reporting Hub.

Note: You can also select more than one Task/Discrepancy from the multiline and invoke the Subtasks Sign Off link. Doing so will show all Subtasks of the selected Tasks in the Bulk Sign Off page and the search in the page will work within the selection made in the previous page.

Report Resource Estimates / Actuals

To report resource estimates and actuals for a Task/Discrepancy, select the record from the multiline and click on the Report Resource link provided below the multiline. This opens the **Report Resource Estimates**

/ Actuals page with the Package # and Task # already loaded.

You can see all the Subtasks in the multiline. Perform Sign Off by providing Mechanic / Inspector

employee code against the Subtasks. Once completed, click on the back button to go back to the Work Reporting Hub.

Record Return and Report Consumption

To record Part Return and report Part Consumption for a Task/Discrepancy, select the record from the multiline and click on the Return & Report Consumption link provided below the multiline. This opens the **Record Part Consumption & Return** page with the Package # and Task # already loaded.

Return unconsumed parts in the first tab, return removed cores in the second tab and report direct part consumption in the third tab. Once completed, click on the back button to go back to the Work Reporting Hub.

Other Features

Apart from the highlighted functionality, the Hub also has the following capabilities:

- Child items on the tree. Clicking on the "+" icon next to a Task/Discrepancy will open up the folder and show Child items under that Task/Discrepancy.
- Tree Refresh button is available to refresh the whole tree and show the latest info.
- The Document Info section can be collapsed by default based on set options.
- The Cards in the Document Info section can be re-sorted or hidden based on set options.
- Search Tasks and Discrepancies with Skill # / Zone # / Work Area #.
- Create Discrepancies while mentioning Skill # / Zone # / Work Area #.
- Tree Filter popup to change Group By option and show only open items.
- Tree Search available above the tree.

Note: This feature involves commercials and is not available for all customers. Please contact your Ramco Account Manager.

ramco

Corporate Office and R&D Center

Ramco Systems Limited, 64, Sardar Patel Road, Taramani, Chennai – 600 113, India Office + 91 44 2235 4510 / 6653 4000 Fax +91 44 2235 2884 Website - www.ramco.com